



# Complete Product Catalog

715 West Orchard Drive, Suite 3, Bellingham, WA 98225, USA  
Email: [info@TOKU-E.com](mailto:info@TOKU-E.com) | Toll Free: (888) 718-6583 | [www.TOKU-E.com](http://www.TOKU-E.com)



**TOKU-E** is a research chemical manufacturer that cares about the needs of scientists. We produce small batches of ultra pure antibiotics specifically for scientific research applications. By keeping production runs small, we are able to focus on the details, providing the highest purity products on the market. Our products are all rigorously tested before release and we stand behind the things we sell.

Cell and molecular biologists will benefit from the gene selection antibiotics, cell culture reagents, and *Mycoplasma* prevention products. Microbiologists will benefit from the wide range of antimicrobials and protocols for developing their own isolation media. Plant biologists will benefit from the wide selection of plant gene selection antibiotics and plant tissue culture supplements which will prevent contamination without hindering plant growth.

**Scientists trust TOKU-E.**

Visit our website for a complete list of products: [www.TOKU-E.com](http://www.TOKU-E.com)

Products are designed for *in vitro* use only

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
D056	<b>1,6-dimethoxyphenazine</b>	C <sub>14</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub>	13398-79-3	>98%	≤30°C	-20°C
D040	<b>10,11-dehydrocurvularin</b>	C <sub>16</sub> H <sub>18</sub> O <sub>5</sub>	1095588-70-7	>98%	≤30°C	-20°C
D048	<b>10'-desmethoxystreptonigrin</b>	C <sub>24</sub> H <sub>20</sub> N <sub>4</sub> O <sub>7</sub>	136803-89-9	>95%	≤30°C	-20°C
D002	<b>10-deacetyl baccatin III</b>	C <sub>29</sub> H <sub>36</sub> O <sub>10</sub>	32981-86-5	95.0-102.0%	≤30°C	2-8°C
A061	<b>17-AAG</b>	C <sub>31</sub> H <sub>43</sub> N <sub>3</sub> O <sub>8</sub>	75747-14-7	≥99.0%	≤30°C	-20°C
E048	<b>19,20-epoxycytochalasin C</b>	C <sub>30</sub> H <sub>37</sub> NO <sub>7</sub>	189351-79-9	>99.0%	≤30°C	-20°C
E049	<b>19,20-epoxycytochalasin D</b>	C <sub>30</sub> H <sub>37</sub> NO <sub>7</sub>	191349-10-7	>99.0%	≤30°C	-20°C
A120	<b>1-alaninechlamydocin</b>	C <sub>27</sub> H <sub>36</sub> N <sub>4</sub> O <sub>6</sub>	141446-96-0	>95%	≤30°C	-20°C
H032	<b>21-hydroxyoligomycin A</b>	C <sub>45</sub> H <sub>74</sub> O <sub>12</sub>	102042-09-1	>95%	≤30°C	-20°C
T054	<b>2-acetyl-2-decarbamoyletetracycline, EvoPure®</b>	C <sub>23</sub> H <sub>25</sub> NO <sub>8</sub>	6542-44-5	≥95.0%	≤30°C	-20°C
S090	<b>3'-ethoxy-5,6-dihydro-spinosyn J 17-pseudoaglycone, EvoPure®</b>	C <sub>35</sub> H <sub>54</sub> O <sub>9</sub>	N/A	>95%	≤30°C	-20°C
S091	<b>3'-ethoxy-5,6-dihydro-spinosyn J, EvoPure®</b>	C <sub>42</sub> H <sub>69</sub> NO <sub>10</sub>	187166-40-1	>95%	≤30°C	-20°C
S092	<b>3'-ethoxy-spinosyn L 17-pseudoaglycone, EvoPure®</b>	C <sub>34</sub> H <sub>54</sub> O <sub>9</sub>	N/A	>95%	≤30°C	-20°C
S093	<b>3'-ethoxy-spinosyn L, EvoPure®</b>	C <sub>43</sub> H <sub>69</sub> NO <sub>10</sub>	187166-15-0	>95%	≤30°C	-20°C
T056	<b>4-epianhydrotetracycline HCl, EvoPure®</b>	C <sub>22</sub> H <sub>22</sub> N <sub>2</sub> O <sub>7</sub> • HCl	4465-65-0	97.00%	≤30°C	-20°C
O008	<b>4-epioxytetracycline</b>	C <sub>22</sub> H <sub>24</sub> N <sub>2</sub> O <sub>9</sub>	14206-58-7	>97.0%	≤30°C	-20°C
T053	<b>4-epitetracycline HCl, EvoPure®</b>	C <sub>22</sub> H <sub>24</sub> N <sub>2</sub> O <sub>8</sub> • HCl	23313-80-6	98.00%	≤30°C	-20°C
H031	<b>4-hydroxyalternariol</b>	C <sub>14</sub> H <sub>10</sub> O <sub>6</sub>	959417-21-1	>95%	≤30°C	-20°C
F003	<b>5-fluorocytosine</b>	C <sub>4</sub> H <sub>4</sub> FN <sub>3</sub> O	2022-85-7	98.5-101.0%	≤30°C	2-8°C
A089	<b>6-aminopenicillanic acid</b>	C <sub>8</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> S	551-16-6	>96%	≤30°C	-20°C
A093	<b>7-aminocephalosporanic acid</b>	C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>5</sub> S	957-68-6	≥95.5%	≤30°C	-20°C
O028	<b>7-oxostaurosporine</b>	C <sub>28</sub> H <sub>24</sub> N <sub>4</sub> O <sub>4</sub>	141196-69-2	>98%	≤30°C	-20°C
H006	<b>8-hydroxyquinoline</b>	C <sub>9</sub> H <sub>7</sub> NO	148-24-3	≥98.0%	≤30°C	2-8°C
M053	<b>9-methylstreptimidone</b>	C <sub>17</sub> H <sub>23</sub> NO <sub>4</sub>	51867-94-8	>95%	≤30°C	-20°C
A109	<b>A 39183A</b>	C <sub>34</sub> H <sub>30</sub> O <sub>10</sub>	79426-51-0	>95%	≤30°C	-20°C
A110	<b>A 54556A</b>	C <sub>38</sub> H <sub>50</sub> N <sub>6</sub> O <sub>8</sub>	95398-45-1	>95%	≤30°C	-20°C
A111	<b>A 54556B</b>	C <sub>37</sub> H <sub>46</sub> N <sub>6</sub> O <sub>8</sub>	95398-44-0	>95%	≤30°C	-20°C
A112	<b>A 83016F</b>	C <sub>37</sub> H <sub>55</sub> NO <sub>10</sub>	142435-72-1	>95%	≤30°C	-20°C
A050	<b>Aclarubicin HCl</b>	C <sub>42</sub> H <sub>53</sub> NO <sub>15</sub> • HCl	75443-99-1	≥90.0%	≤30°C	2-8°C
A019	<b>Acriflavine HCl</b>	C <sub>14</sub> H <sub>14</sub> N <sub>3</sub> Cl	8063-24-9	98.5-107.0%	≤30°C	2-8°C
A067	<b>Acrylamide, 30% solution</b>	C <sub>3</sub> H <sub>5</sub> NO	Sterile	≥99.9%	≤30°C	2-8°C
A053	<b>Acrylamide, Grade II, 99.9%</b>	C <sub>3</sub> H <sub>5</sub> NO	79-06-1	≥99.9%	≤30°C	≤30°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
A113	<b>Actagardin</b>	$C_{81}H_{124}N_{20}O_{24}S_4$	59165-34-3	>98%	≤30°C	-20°C
A001	<b>Actinomycin D</b>	$C_{62}H_{86}N_{12}O_{16}$	50-76-0	≥95.0%	≤30°C	2-8°C
A114	<b>Actinopyrone A</b>	$C_{25}H_{36}O_4$	88378-59-0	>95%	≤30°C	-20°C
A090	<b>Acycloguanosine</b>	$C_9H_{11}N_5O_3$	59277-89-3	98.5-101.0%	≤30°C	≤30°C
A091	<b>Adenine 9-β-D-arabinofuranoside (Vidarabine)</b>	$C_{10}H_{13}N_5O_4$	5536-17-4	98.5-102.0%	≤30°C	-20°C
A115	<b>Aflatoxin B1</b>	$C_{17}H_{12}O_6$	1162-65-8	>98%	≤30°C	-20°C
A116	<b>Aflatoxin B2</b>	$C_{17}H_{14}O_6$	7220-81-7	>98%	≤30°C	-20°C
A117	<b>Aflatoxin G1</b>	$C_{17}H_{12}O_7$	1165-39-5	>98%	≤30°C	-20°C
A118	<b>Aflatoxin G2</b>	$C_{17}H_{14}O_7$	7241-98-7	>98%	≤30°C	-20°C
A119	<b>Alamethicin F50</b>	$C_{92}H_{151}N_{23}O_{24}$	56165-93-6	>98%	≤30°C	-20°C
A092	<b>Albendazole</b>	$C_{12}H_{15}N_3O_{2S}$	54965-21-8	98.5-102.0%	≤30°C	≤30°C
A121	<b>Albofungin</b>	$C_{27}H_{24}N_2O_9$	37895-35-5	>95%	≤30°C	-20°C
A094	<b>Alizarin</b>	$C_{14}H_8O_4$	72-48-0	97.0%	≤30°C	≤30°C
O009	<b>Alpha-apo-oxytetracycline, EvoPure®</b>	$C_{22}H_{22}N_2O_8$	18695-01-7	>97.0%	≤30°C	2-8°C
L036	<b>Alpha-lipomycin</b>	$C_{32}H_{45}NO_9$	51053-40-8	>95%	≤30°C	-20°C
Z010	<b>Alpha-zearalanol, EvoPure®</b>	$C_{15}H_{26}O_5$	26538-44-3	>99%	≤30°C	-20°C
Z007	<b>Alpha-zearalenol, EvoPure®</b>	$C_{18}H_{24}O_5$	36455-72-8	>99%	≤30°C	-20°C
A002	<b>Amikacin hydrate</b>	$C_{22}H_{43}N_5O_{13} \cdot H_2O$	37517-28-5	≥95.0%	≤30°C	2-8°C
A070	<b>Amikacin sulfate (1:1.8)</b>	$C_{22}H_{43}N_5O_{13} \cdot 2H_2O_4S$	149022-22-0	647-786 µg/ml	≤30°C	2-8°C
A003	<b>Amikacin sulfate (1:2), USP</b>	$C_{22}H_{43}N_5O_{13} \cdot 2H_2SO$	39831-55-5	674-78=6 µg/mg	≤30°C	2-8°C
A087	<b>Ammonium glycyrrhizate, EvoPure®</b>	$C_{42}H_{65}NO_{16}$	53956-04-0	N/A	≤30°C	-20°C
A085	<b>Amodiaquine</b>	$C_{20}H_{22}ClN_3O \cdot 2HCl$	86-42-0	97.0% - 103.0%	≤30°C	-20°C
A004	<b>Amoxicillin</b>	$C_{16}H_{19}N_3O_5S$	26787-78-0	≥99.5%	≤30°C	2-8°C
A059	<b>Amoxicillin sodium</b>	$C_{16}H_{19}N_3NaO_5S$	34642-77-8	≥99.5%	≤30°C	2-8°C
A054	<b>Amoxicillin/clavulanate potassium</b>	N/A	N/A	2:1 Mixture	≤30°C	2-8°C
A005	<b>Amphoterycin</b>	$C_{58}H_{91}N_{13}O_{20}$	1402-82-0	>95%	≤30°C	-20°C
A008	<b>Amphotericin B solubilized</b>	$C_{47}H_{73}NO_{17}$	1397-89-3	45:55:00	≤30°C	2-8°C
A064	<b>Amphotericin B, EP</b>	$C_{47}H_{73}NO_{17}$	1397-89-3	≥750 IU/mg	≤30°C	2-8°C
A007	<b>Amphotericin B, USP</b>	$C_{47}H_{73}NO_{17}$	1397-89-3	≥95%	≤30°C	2-8°C
A043	<b>Ampicillin anhydrous</b>	$C_{16}H_{19}N_3O_4S$	69-53-4	≥98.0%	≤30°C	2-8°C
A042	<b>Ampicillin sodium</b>	$C_{16}H_{18}NaN_3O_4S$	69-52-3	845-988 µg/mg	≤30°C	2-8°C
A020	<b>Ampicillin trihydrate, EP</b>	$C_{16}H_{19}N_3O_4S \cdot 3H_2O$	7177-48-2	96.0-100.5%	≤30°C	2-8°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
A009	<b>Ampicillin, USP</b>	$C_{16}H_{19}N_3O_4S \cdot 3H_2O$	7177-48-2	900-1050 µg/mg	≤30°C	2-8°C
A071	<b>Ampicillin/Sulbactam (2:1)</b>	Mixture	94935-63-4	Mixture	≤30°C	2-8°C
A066	<b>Amygdalin</b>	$C_{20}H_{27}NO_{11}$	29883-15-6	≥98.0%	≤30°C	2-8°C
A122	<b>Anguinomycin A</b>	$C_{31}H_{44}O_6$	111278-01-4	>95%	≤30°C	-20°C
A072	<b>Anhydrochlortetracycline HCl, EvoPure®</b>	$C_{22}H_{22}Cl_2N_2O_7$	4497-08-9	≥97.0%	≤30°C	-20°C
A123	<b>Anhydroepiophiobolin A</b>	$C_{25}H_{34}O_3$	90411-20-4	>98%	≤30°C	-20°C
A079	<b>Anhydroerythromycin A, EvoPure®</b>	$C_{37}H_{65}NO_{12}$	23893-13-2	≥96.0%	≤30°C	-20°C
A124	<b>Anhydrophiobolin A</b>	$C_{25}H_{34}O_3$	6026-65-9	>95%	≤30°C	-20°C
A073	<b>Anhydro-oxytetracycline, EvoPure®</b>	N/A	N/A	≥90.0%	≤30°C	-20°C
T055	<b>Anhydrotetracycline HCl, EvoPure®</b>	$C_{22}H_{22}N_2O_7 \cdot HCl$	13803-65-1	98.00%	≤30°C	-20°C
A041	<b>Anidulafungin</b>	$C_{98}H_{73}N_7O_{17}$	166663-25-8	≥98.0%	≤30°C	-20°C
A021	<b>Anisomycin</b>	$C_{14}H_{19}NO_4$	22862-76-6	≥98.0%	≤30°C	2-8°C
A125	<b>Ansatrienin A, EvoPure®</b>	$C_{36}H_{48}N_2O_8$	82189-03-5	>99%	≤30°C	-20°C
A126	<b>Ansatrienin B, EvoPure®</b>	$C_{36}H_{50}N_2O_8$	82189-04-6	>95%	≤30°C	-20°C
A045	<b>Antibiotic-Antimycotic (100X) solution</b>	Mixture	N/A	Mixture	Dry ice	-20°C
A100	<b>Antimony potassium tartrate trihydrate</b>	$K_2Sb_2(C_4H_2O_6)_2 \cdot 3H_2O$	28300-74-5	N/A	≤30°C	≤30°C
A129	<b>Antimycin</b>	$C_{28}H_{40}N_2O_9$ (for A1)	1397-94-0	>95%	≤30°C	-20°C
A127	<b>Antimycin A1, EvoPure®</b>	$C_{28}H_{40}N_2O_9$	642-15-9	>98%	≤30°C	-20°C
A101	<b>Antimycin A2, EvoPure®</b>	$C_{27}H_{38}N_2O_9$	27220-57-1	>98%	≤30°C	-20°C
A102	<b>Antimycin A3, EvoPure®</b>	$C_{26}H_{36}N_2O_9$	522-70-3	>98%	≤30°C	-20°C
A128	<b>Antimycin A4, EvoPure®</b>	$C_{25}H_{34}N_2O_9$	27220-59-3	>98%	≤30°C	-20°C
A103	<b>Aphidicolin</b>	$C_{20}H_{34}O_4$	38966-21-1	>97%	≤30°C	-20°C
A104	<b>Apicidin</b>	$C_{34}H_{49}N_5O_6$	183506-66-3	>95%	≤30°C	-20°C
A130	<b>Apoptolidin</b>	$C_{58}H_{96}O_{21}$	194874-06-1	>95%	≤30°C	-20°C
A014	<b>Apramycin sulfate</b>	$C_{21}H_{41}N_5O_{11} \cdot H_2SO_4$	65710-07-8	≥95.0%	≤30°C	2-8°C
A098	<b>Artemisinin</b>	$C_{15}H_{22}O_5$	63968-64-9	N/A	≤30°C	-20°C
A096	<b>Artesunate</b>	$C_{19}H_{28}O_8$	88495-63-0	98.0-102.0%	≤30°C	-20°C
A105	<b>Ascochlorin</b>	$C_{23}H_{29}Cl_4$	26166-39-2	>98%	≤30°C	-20°C
A015	<b>Ascomycin</b>	$C_{43}H_{69}NO_{12}$	11011-38-4	≥98.0%	≤30°C	2-8°C
A131	<b>Aspartocin D</b>	$C_{56}H_{87}N_{13}O_{20}$	N/A	>95%	≤30°C	-20°C
A132	<b>Asterric Acid</b>	$C_{17}H_{16}O_8$	577-64-0	>99%	≤30°C	-20°C
A133	<b>Asukamycin</b>	$C_{31}H_{34}N_2O_7$	61116-33-4	>95%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
A108	<b>Asunaprevir</b>	C <sub>35</sub> H <sub>46</sub> ClN <sub>5</sub> O <sub>9</sub> S	630420-16-5	98.0-102.0%	≤30°C	-20°C
A134	<b>Aureothin</b>	C <sub>22</sub> H <sub>23</sub> NO <sub>6</sub>	2825-00-5	>95%	≤30°C	-20°C
A135	<b>Aureothricin</b>	C <sub>9</sub> H <sub>10</sub> N <sub>9</sub> O <sub>2</sub> S <sub>2</sub>	574-95-8	>98%	≤30°C	-20°C
A136	<b>Avenaciolide</b>	C <sub>15</sub> H <sub>22</sub> O <sub>4</sub>	16993-42-3	>95%	≤30°C	-20°C
A137	<b>Avermectin B1a aglycone, EvoPure®</b>	C <sub>34</sub> H <sub>48</sub> O <sub>8</sub>	71828-14-3	>95%	≤30°C	-20°C
A138	<b>Avermectin B1a monosaccharide, EvoPure®</b>	C <sub>41</sub> H <sub>60</sub> O <sub>11</sub>	71831-09-9	>95%	≤30°C	-20°C
A063	<b>Avermectin B1a, EvoPure®</b>	C <sub>48</sub> H <sub>72</sub> O <sub>14</sub>	65195-55-3	>99.0%	≤30°C	-20°C
A139	<b>Avermectin B1b, EvoPure®</b>	C <sub>47</sub> H <sub>70</sub> O <sub>14</sub>	65195-56-4	>99%	≤30°C	-20°C
A140	<b>Azamulin</b>	C <sub>24</sub> H <sub>38</sub> N <sub>4</sub> O <sub>4</sub> S	76530-44-4	>99%	≤30°C	-20°C
A141	<b>Azidamfenicol</b>	C <sub>11</sub> H <sub>13</sub> N <sub>5</sub> O <sub>5</sub>	13838-08-9	>99%	≤30°C	-20°C
A024	<b>Azithromycin dihydrate</b>	C <sub>38</sub> H <sub>72</sub> N <sub>2</sub> O <sub>12</sub> • 2H <sub>2</sub> O	117772-70-0	≥95.0%	≤30°C	2-8°C
A074	<b>Azithromycin impurity E, EvoPure®</b>	C <sub>36</sub> H <sub>68</sub> N <sub>2</sub> O <sub>12</sub>	612069-27-9	≥95.0%	≤30°C	-20°C
A075	<b>Azithromycin impurity F, EvoPure®</b>	C <sub>38</sub> H <sub>70</sub> N <sub>2</sub> O <sub>13</sub>	612069-28-0	N/A	≤30°C	-20°C
A083	<b>Azithromycin impurity G, EvoPure®</b>	C <sub>44</sub> H <sub>76</sub> N <sub>2</sub> O <sub>14</sub> S	612069-31-5	>98.0%	≤30°C	-20°C
A084	<b>Azithromycin impurity H, EvoPure®</b>	C <sub>45</sub> H <sub>77</sub> N <sub>3</sub> O <sub>15</sub> S	612069-30-4	>98.0%	≤30°C	-20°C
A081	<b>Azithromycin impurity I, EvoPure®</b>	C <sub>37</sub> H <sub>70</sub> N <sub>2</sub> O <sub>12</sub>	172617-84-4	N/A	≤30°C	-20°C
A082	<b>Azithromycin impurity J, EvoPure®</b>	C <sub>30</sub> H <sub>58</sub> N <sub>2</sub> O <sub>9</sub>	117693-41-1	>97.0%	≤30°C	-20°C
A078	<b>Azithromycin impurity L, EvoPure®</b>	C <sub>38</sub> H <sub>72</sub> N <sub>2</sub> O <sub>13</sub>	90503-06-3	95.3%	≤30°C	-20°C
A023	<b>Azlocillin sodium</b>	C <sub>20</sub> H <sub>22</sub> N <sub>5</sub> NaO <sub>6</sub> S	37091-65-9	≥95.0%	≤30°C	2-8°C
A017	<b>Aztreonam</b>	C <sub>13</sub> H <sub>17</sub> N <sub>5</sub> O <sub>6</sub> S <sub>2</sub>	78110-38-0	≥98.0%	≤30°C	2-8°C
A038	<b>Aztreonam solubilized</b>	C <sub>13</sub> H <sub>17</sub> N <sub>5</sub> O <sub>8</sub> S <sub>2</sub>	78110-38-0	92.5-97.0%	≤30°C	2-8°C
B015	<b>Bacitracin A, EvoPure®</b>	C <sub>66</sub> H <sub>103</sub> N <sub>17</sub> O <sub>16</sub> S	1405-87-4	≥99.0%	≤30°C	2-8°C
B016	<b>Bacitracin B1, EvoPure®</b>	C <sub>65</sub> H <sub>101</sub> N <sub>17</sub> O <sub>16</sub> S	57762-79-5	≥99.0%	≤30°C	2-8°C
B017	<b>Bacitracin B2, EvoPure®</b>	C <sub>65</sub> H <sub>101</sub> N <sub>17</sub> O <sub>16</sub> S	N/A	≥99.0%	≤30°C	2-8°C
B021	<b>Bacitracin F, EvoPure®</b>	C <sub>66</sub> H <sub>103</sub> N <sub>17</sub> O <sub>16</sub> S	22601-63-4	≥99.0%	≤30°C	2-8°C
B002	<b>Bacitracin USP</b>	C <sub>66</sub> H <sub>103</sub> N <sub>17</sub> O <sub>16</sub> S	1405-87-4	≥65 u/mg	≤30°C	2-8°C
B018	<b>Bacitracin Xa, EvoPure®</b>	N/A	N/A	≥99.0%	≤30°C	2-8°C
B014	<b>Bacitracin, Ultrapure</b>	C <sub>66</sub> H <sub>103</sub> N <sub>17</sub> O <sub>16</sub> S	1405-87-4	≥65 µg/mg	≤30°C	2-8°C
B033	<b>Bactenecin</b>	C <sub>63</sub> H <sub>118</sub> N <sub>24</sub> O <sub>13</sub> S <sub>2</sub>	116229-36-8	≥96.0%	≤30°C	-20°C
B038	<b>Bafilomycin A1, EvoPure®</b>	C <sub>35</sub> H <sub>58</sub> O <sub>9</sub>	88899-55-2	>95%	≤30°C	-20°C
B039	<b>Bafilomycin B1, EvoPure®</b>	C <sub>44</sub> H <sub>65</sub> NO <sub>13</sub>	88899-56-3	>95%	≤30°C	-20°C
B042	<b>Bafilomycin C1, EvoPure®</b>	C <sub>39</sub> H <sub>60</sub> O <sub>12</sub>	88979-61-7	>95%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
B043	<b>Bafilomycin D, EvoPure®</b>	C <sub>35</sub> H <sub>56</sub> O <sub>8</sub>	98813-13-9	>99%	≤30°C	-20°C
B034	<b>Baicalin</b>	C <sub>21</sub> H <sub>18</sub> O <sub>11</sub>	21967-41-9	≥85.0%	≤30°C	-20°C
B037	<b>Bakuchiol</b>	C <sub>18</sub> H <sub>24</sub> O	10309-37-2	≥97.0%	≤30°C	-20°C
B044	<b>Bassianolide</b>	C <sub>48</sub> H <sub>84</sub> N <sub>4</sub> O <sub>12</sub>	64763-82-2	>95%	≤30°C	-20°C
B045	<b>Beauvericin</b>	C <sub>45</sub> H <sub>57</sub> N <sub>3</sub> O <sub>9</sub>	26048-05-5	>97%	≤30°C	-20°C
B046	<b>Berninamycin A, EvoPure®</b>	C <sub>51</sub> H <sub>51</sub> N <sub>15</sub> O <sub>15</sub> S	58798-97-3	>99%	≤30°C	-20°C
B047	<b>Berninamycin D, EvoPure®</b>	C <sub>45</sub> H <sub>45</sub> N <sub>13</sub> O <sub>13</sub> S	161263-50-9	>99%	≤30°C	-20°C
B040	<b>Bestatin</b>	C <sub>16</sub> H <sub>24</sub> N <sub>2</sub> O <sub>4</sub>	58970-76-6	>98%	≤30°C	-20°C
O010	<b>Beta-apo-oxytetracycline, EvoPure®</b>	C <sub>22</sub> H <sub>22</sub> N <sub>2</sub> O <sub>8</sub>	18751-99-0	>97.0%	≤30°C	2-8°C
Z011	<b>Beta-zearalanol, EvoPure®</b>	C <sub>18</sub> H <sub>26</sub> O <sub>5</sub>	42422-68-4	>99%	≤30°C	-20°C
Z008	<b>Beta-zearalenol, EvoPure®</b>	C <sub>18</sub> H <sub>24</sub> O <sub>5</sub>	71030-11-0	>99%	≤30°C	-20°C
B036	<b>Bevacizumab</b>	C <sub>6636</sub> H <sub>10160</sub> N <sub>1720</sub> O <sub>2108</sub> S <sub>44</sub>	216974-75-3	N/A	≤30°C	-20°C
B013	<b>Bialaphos sodium</b>	C <sub>11</sub> H <sub>21</sub> N <sub>3</sub> NaO <sub>6</sub> P	71048-99-2	≥85.0%	≤30°C	2-8°C
B048	<b>Bicyclomycin</b>	C <sub>12</sub> H <sub>18</sub> N <sub>2</sub> O <sub>7</sub>	38129-37-2	>95%	≤30°C	-20°C
B049	<b>Bicyclomycin benzoate</b>	C <sub>19</sub> H <sub>22</sub> N <sub>2</sub> O <sub>8</sub>	37134-40-0	>99%	≤30°C	-20°C
B011	<b>Bis-acrylamide</b>	C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub>	110-26-9	≥99.0%	≤30°C	≤30°C
B031	<b>Bis-acrylamide solution 2%</b>	C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub>	110-26-10	solution	≤30°C	≤30°C
B050	<b>Bischloroanthrabenzoxocinone</b>	C <sub>28</sub> H <sub>24</sub> O <sub>7</sub> Cl <sub>2</sub>	866022-28-8	>99%	≤30°C	-20°C
B035	<b>Bithionol</b>	C <sub>12</sub> H <sub>6</sub> Cl <sub>4</sub> O <sub>2</sub> S	97-18-7	N/A	≤30°C	≤30°C
B051	<b>Blasticidin A</b>	C <sub>55</sub> H <sub>107</sub> NO <sub>23</sub>	100513-53-9	>98%	≤30°C	-20°C
B052	<b>Blasticidin S</b>	C <sub>17</sub> H <sub>26</sub> N <sub>8</sub> O <sub>5</sub>	2079-00-7	>98%	≤30°C	-20°C
B001	<b>Blasticidin S HCl</b>	C <sub>17</sub> H <sub>26</sub> N <sub>8</sub> O <sub>5</sub> • HCl	3513-03-9	≥99.5%	≤30°C	2-8°C
B006/B007	<b>Blasticidin S HCl, 10 mg/mL in 20 mM HEPES</b>	Solution	3513-03-9	≥98.0%	Dry ice	-20°C
B053	<b>Bleomycin</b>	C <sub>28</sub> H <sub>43</sub> NO <sub>6</sub>	7184-60-3	>99%	≤30°C	-20°C
B019	<b>Bleomycin A2 sulfate, EvoPure®</b>	C <sub>55</sub> H <sub>84</sub> N <sub>17</sub> O <sub>21</sub> S <sub>3</sub> • HO <sub>4</sub> S	9041-93-4	≥99.0%	≤30°C	2-8°C
B020	<b>Bleomycin B2 sulfate, EvoPure®</b>	C <sub>55</sub> H <sub>84</sub> N <sub>20</sub> O <sub>21</sub> S <sub>2</sub> • H <sub>2</sub> SO <sub>4</sub>	9041-93-4	≥99.0%	≤30°C	2-8°C
B005	<b>Bleomycin sulfate, USP</b>	C <sub>55</sub> H <sub>84</sub> N <sub>17</sub> O <sub>21</sub> S <sub>3</sub> • HO <sub>4</sub> S	9041-93-4	1.5-2.0 u/mg	≤30°C	2-8°C
B041	<b>Borrelidin</b>	C <sub>55</sub> H <sub>84</sub> N <sub>17</sub> O <sub>21</sub> S <sub>3</sub> (for A2)	9041-93-4	>99%	≤30°C	-20°C
B012	<b>Brefeldin A</b>	C <sub>16</sub> H <sub>24</sub> O <sub>4</sub>	20350-15-6	≥99.0%	≤30°C	2-8°C
B054	<b>Brevicompanine B</b>	C <sub>22</sub> H <sub>29</sub> N <sub>3</sub> O <sub>2</sub>	215121-47-4	>99%	≤30°C	-20°C
B055	<b>Bromamphenicol</b>	C <sub>11</sub> H <sub>12</sub> Br <sub>2</sub> N <sub>2</sub> O <sub>5</sub>	16803-75-1	>99%	≤30°C	-20°C
B056	<b>Bromothricin</b>	C <sub>50</sub> H <sub>63</sub> BrO <sub>16</sub>	N/A	>95%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
B057	<b>Butyrolactone I</b>	$C_{24}H_{24}O_7$	87414-49-1	>95%	≤30°C	-20°C
C159	<b>Caerulomycin</b>	$C_{12}H_{11}N_3O_2$	21802-37-9	>98%	≤30°C	-20°C
C155	<b>Caffeic acid phenethyl ester (CAPE)</b>	$C_{17}H_{16}O_4$	104594-70-9	≥99.5%	≤30°C	-20°C
C160	<b>Calcimycin</b>	$C_{29}H_{37}N_3O_6$	52665-69-7	>99%	≤30°C	-20°C
C161	<b>Calphostin C</b>	$C_{44}H_{38}O_{14}$	121263-19-2	>95%	≤30°C	-20°C
C070	<b>Camptothecin (Camptotheca acuminata)</b>	$C_{20}H_{16}N_2O_4$	7689-03-4	≥99.0%	≤30°C	-20°C
C145	<b>Camptothecin (Nothapodytes foetida)</b>	$C_{20}H_{16}N_2O_4$	7689-03-4	≥99.0%	≤30°C	-20°C
C146	<b>Camptothecin sodium</b>	$C_{20}H_{17}N_2NaO_5$	25387-67-1	≥95.0%	≤30°C	-20°C
C002	<b>Candididin</b>	$C_{59}H_{84}N_2O_{18}$	1403-17-4	≥99.0%	≤30°C	2-8°C
C162	<b>Capreomycin</b>	$C_{25}H_{44}N_{14}O_7$ (for IB)	11003-38-6	>99%	≤30°C	-20°C
C003	<b>Capreomycin sulfate</b>	$C_{25}H_{44}N_{14}O_7 \cdot H_2SO_4$	1405-37-4	700-1050 µg/mg	≤30°C	2-8°C
C148	<b>Carbadox</b>	$C_{11}H_{10}N_4O_4$	6804-07-5	N/A	≤30°C	2-8°C
C107	<b>Carbenicillin disodium, Ultrapure</b>	$C_{17}H_{16}N_2Na_2O_6S$	4800-94-6	≥800 µg/mg	≤30°C	-20°C
C126	<b>Carbenicillin disodium, USP</b>	$C_{17}H_{16}N_2Na_2O_6S$	4800-94-6	≥770 µg/mg	≤30°C	-20°C
C115	<b>Carboplatin</b>	$C_6H_{12}N_2O_4Pt$	41575-94-4	N/A	≤30°C	-20°C
C149	<b>Carfilzomib</b>	$C_{40}H_{57}N_5O_7$	868540-17-4	≥99.0%	≤30°C	-20°C
C103	<b>Casposfungin acetate</b>	$C_{52}H_{88}N_{10}O_{15}$	179463-17-3	≥95.0%	≤30°C	-20°C
C005	<b>Cefaclor, USP</b>	$C_{15}H_{14}ClN_3O_4S$	70356-03-5	95.0-102.0%	≤30°C	2-8°C
C119	<b>Cefadroxil</b>	$C_{16}H_{17}N_3O_5S$	50370-12-2	994 µg/mg	≤30°C	≤30°C
C078	<b>Cefamandole nafate</b>	$C_{19}H_{17}N_6NaO_6S_2$	42540-40-9	≥99.0%	≤30°C	2-8°C
C079	<b>Cefamandole sodium</b>	$C_{18}H_{18}N_6NaO_5S_2$	30034-03-8	≥99.0%	≤30°C	2-8°C
C006	<b>Cefazolin sodium, USP</b>	$C_{14}H_{13}N_8NaO_4S_3$	27164-46-1	≥96.0%	≤30°C	2-8°C
C049	<b>Cefdinir</b>	$C_{14}H_{13}N_5O_5S_2$	91832-40-5	≥95.0%	≤30°C	2-8°C
C050	<b>Cefditoren pivoxil</b>	$C_{25}H_{28}N_6O_7S_3$	117467-28-4	944-1050 µg/ml	≤30°C	2-8°C
C094	<b>Cefditoren sodium</b>	$C_{19}H_{17}N_6NaO_5S_3$	104146-53-4	≥99.0%	≤30°C	2-8°C
C008	<b>Cefepime</b>	$C_{19}H_{24}N_6O_5S_2$	88040-23-7	≥98.0%	≤30°C	2-8°C
C009	<b>Cefepime HCl</b>	$C_{19}H_{25}ClN_6O_5S_2 \cdot HCl \cdot H_2O$	123171-59-5	≥98.0%	≤30°C	2-8°C
C051	<b>Cefixime trihydrate</b>	$C_{16}H_{15}N_5O_7S_2 \cdot 3H_2O$	79350-37-1	≥98.0%	≤30°C	2-8°C
C122	<b>Cefmetazole free acid</b>	$C_{15}H_{16}N_7O_5S_3$	56796-20-4	860-1003 µg/ml	≤30°C	2-8°C
C052	<b>Cefmetazole sodium</b>	$C_{15}H_{16}N_7O_5S_3Na$	56796-39-5	921µg/mg	≤30°C	2-8°C
C124	<b>Cefminox sodium</b>	$C_{16}H_{20}ON_7NaO_7S_3$	92636-39-0	≥90.0%	≤30°C	2-8°C
C089	<b>Cefoperazone sodium, EP</b>	$C_{25}H_{26}N_9NaO_8S_2$	62893-20-3	870-1015 µg/mg	≤30°C	2-8°C



Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
C010	<b>Cefoperazone sodium, USP</b>	$C_{25}H_{26}N_9NaO_8S_2$	62893-20-3	870-1015 µg/mg	≤30°C	2-8°C
C106	<b>Cefotaxime sodium, Ultrapure</b>	$C_{16}H_{16}N_5NaO_7S_2$	64485-93-4	≥99.0%	≤30°C	2-8°C
C011	<b>Cefotaxime sodium, USP</b>	$C_{16}H_{16}N_5NaO_7S_2$	64485-93-4	916-964 µg/mg	≤30°C	2-8°C
C012	<b>Cefotetan</b>	$C_{17}H_{17}N_7O_8S_4$	69712-56-7	≥98.0%	≤30°C	2-8°C
C117	<b>Cefotetan disodium</b>	$C_{17}H_{17}N_7Na_2O_8S_4$	74356-00-6	>99.0%	≤30°C	2-8°C
C077	<b>Cefotiam</b>	$C_{18}H_{23}N_9O_4S_3$	61622-34-2	≥98.0%	≤30°C	2-8°C
C095	<b>Cefotiam DiHCl</b>	$C_{18}H_{23}N_9O_4S_3 \cdot HCl$	66309-69-1	≥98.0%	≤30°C	2-8°C
C091	<b>Cefoxitin</b>	$C_{16}H_{17}N_5O_7S_2$	35607-66-0	98.0-102.0%	≤30°C	2-8°C
C054	<b>Cefoxitin sodium, USP</b>	$C_{16}H_{16}N_5NaO_7S_2$	33564-30-6	97.5-102.0%	≤30°C	2-8°C
C099	<b>Cefozopran HCl</b>	$C_{19}H_{17}N_9O_5S_2$	113359-04-9	≥97.0%	≤30°C	2-8°C
C014	<b>Cefpirome sulfate</b>	$C_{22}H_{22}N_6O_5S_2 \cdot H_2SO_4$	98753-19-6	≥99.0%	≤30°C	2-8°C
C055	<b>Cefpirome sulfate w/ sodium carbonate</b>	N/A	N/A	≥95.0%	≤30°C	2-8°C
C015	<b>Cefpodoxime proxetil</b>	$C_{21}H_{27}N_5O_9S_2$	87239-81-4	≥94.0%	≤30°C	2-8°C
C096	<b>Cefpodoxime sodium</b>	$C_{15}H_{16}N_5NaO_6S_2$	82619-04-3	≥98.0%	≤30°C	-20°C
C016	<b>Cefpodoxime, free acid</b>	$C_{15}H_{17}N_5O_6S_2$	80210-62-4	≥98.0%	≤30°C	-20°C
C017	<b>Cefprozil</b>	$C_{16}H_{19}N_3O_5S \cdot H_2O$	92665-29-7	900-1050 µg/mg	≤30°C	2-8°C
C057	<b>Cefradine</b>	$C_{16}H_{19}N_3O_4S$	38821-53-3	≥95.0%	≤30°C	2-8°C
C058	<b>Cefsulodin sodium</b>	$C_{22}H_{19}N_4NaO_8S_2$	52152-93-9	≥97.0%	≤30°C	-20°C
C121	<b>Ceftazidime delta-3 isomer, EvoPure®</b>	$C_{22}H_{22}N_6O_7S_2 \cdot 5H_2O$	N/A	≥95.0%	≤30°C	-20°C
C059	<b>Ceftazidime pentahydrate</b>	$C_{22}H_{22}N_6O_7S_2 \cdot 5H_2O$	78439-06-2	≥95.0%	≤30°C	2-8°C
C144	<b>Cefteram pivoxil</b>	$C_{22}H_{27}N_9O_7S_2$	82547-81-7	≥98.0%	≤30°C	-20°C
C069	<b>Ceftibuten</b>	$C_{15}H_{14}N_4O_6S_2$	97519-39-6	≥95.0%	≤30°C	2-8°C
C061	<b>Ceftiofur sodium</b>	$C_{19}H_{16}N_5NaO_7S_3$	104010-37-9	≥95.0%	≤30°C	2-8°C
C021	<b>Ceftizoxime sodium</b>	$C_{13}H_{12}N_5NaO_5S_2$	68401-82-1	≥95.0%	≤30°C	2-8°C
C074	<b>Ceftriaxone free acid</b>	$C_{18}H_{18}N_8O_7S_3$	73384-59-5	≥99.0%	≤30°C	-20°C
C022	<b>Ceftriaxone sodium, USP</b>	$C_{18}H_{16}N_8Na_2O_7S_3 \cdot 3\frac{1}{2}H_2O$	104376-79-6	≥795 µg/mg	≤30°C	2-8°C
C023	<b>Cefuroxime sodium</b>	$C_{16}H_{15}N_4NaO_8S$	56238-63-2	≥95.0%	≤30°C	2-8°C
C163	<b>Cellocidin</b>	$C_4H_4N_2O_2$	543-21-5	>98%	≤30°C	-20°C
C024	<b>Cephalexin hydrate, USP</b>	$C_{16}H_{17}N_3O_4S \cdot H_2O$	15686-71-2	950-1030 µg/mg	≤30°C	2-8°C
C075	<b>Cephalomannine</b>	$C_{45}H_{53}NO_{14}$	71610-00-9	≥99.0%	≤30°C	-20°C
C026	<b>Cephalothin sodium, USP</b>	$C_{16}H_{15}N_2NaO_6S_2$	58-71-9	≥850 µg/mg	≤30°C	2-8°C
C164	<b>Cercosporamide</b>	$C_{16}H_{13}NO_7$	131436-22-1	>95%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
C165	<b>Cercosporin</b>	$C_{29}H_{26}O_{10}$	35082-49-6	>98%	≤30°C	-20°C
C151	<b>Cerulenin</b>	$C_{12}H_{17}NO_3$	17397-89-6	>98%	≤30°C	-20°C
C062	<b>Cetrimide</b>	$C_{17}H_{38}BrN$	8044-71-1	>99.0%	≤30°C	2-8°C
C150	<b>Cetylpyridinium chloride</b>	$C_{21}H_{38}ClN$	123-03-5	99.0-102.0%	≤30°C	≤30°C
C166	<b>Chaetocin</b>	$C_{30}H_{28}N_6O_6S_4$	28097-03-2	>99%	≤30°C	-20°C
C167	<b>Chartreusin</b>	$C_{32}H_{32}O_{14}$	6377-18-0	>99%	≤30°C	-20°C
C158	<b>Chicoric acid</b>	$C_{22}H_{18}O_{12}$	6537-80-8	N/A	≤30°C	-20°C
C172	<b>Chloramphenicol acetate</b>	$C_{15}H_{14}Cl_2N_2O_6$	10318-16-8	>99%	≤30°C	-20°C
C168	<b>Chloramphenicol palmitate</b>	$C_{27}H_{42}Cl_2O_6$	530-43-8	>99%	≤30°C	-20°C
C169	<b>Chloramphenicol succinate</b>	$C_{15}H_{16}Cl_2N_2O_8$	3544-94-3	>99%	≤30°C	-20°C
C170	<b>Chloramphenicol succinate sodium</b>	$C_{15}H_{15}Cl_2N_2O_8Na$	982-57-0	>99%	≤30°C	-20°C
C028	<b>Chloramphenicol, USP</b>	$C_{11}H_{12}Cl_2N_2O_5$	56-75-7	97.0-103.0%	≤30°C	2-8°C
C156	<b>Chlorhexidine</b>	$C_{22}H_{30}Cl_2N_{10}$	55-56-1	≥97.5%	≤30°C	2-8°C
C200	<b>Chlorhexidine diacetate salt</b>	$C_{22}H_{30}Cl_2N_{10} \cdot 2C_2H_4O_2$	56-95-1	≥98.0%	≤30°C	≤30°C
C157	<b>Chlorhexidine HCl</b>	$C_{22}H_{30}Cl_2N_{10} \cdot 2HCl$	3697-42-5	≥99.5%	≤30°C	-20°C
C109	<b>Chlorimuron ethyl</b>	$C_{15}H_{15}ClN_4O_6S$	90982-32-4	≥95.0%	≤30°C	2-8°C
C142	<b>Chloroquine phosphate</b>	$C_{18}H_{26}ClN_3 \cdot 2H_3PO_4$	50-63-5	98.5% - 101.0%	≤30°C	-20°C
C171	<b>Chlorothricin</b>	$C_{50}H_{63}ClO_{16}$	34707-92-1	>99%	≤30°C	-20°C
C173	<b>Chlortetracycline</b>	$C_{22}H_{23}ClN_2O_8$	57-62-5	>98%	≤30°C	-20°C
C029	<b>Chlortetracycline HCl, EP</b>	$C_{22}H_{23}ClN_2O_8$	64-72-2	94.5-100.5%	≤30°C	2-8°C
C072	<b>Chlortetracycline HCl, USP</b>	$C_{22}H_{23}ClN_2O_8$	64-72-2	≥900 µg/mg	≤30°C	2-8°C
C086	<b>Choline chloride, USP</b>	$C_5H_{14}ClNO$	67-48-1	≥98.0%	≤30°C	2-8°C
C174	<b>Chromomycin A2, EvoPure®</b>	$C_{59}H_{86}O_{26}$	6992-70-7	>98%	≤30°C	-20°C
C152	<b>Chromomycin A3, EvoPure®</b>	$C_{57}H_{82}O_{26}$	7059-24-7	>98%	≤30°C	-20°C
C153	<b>Chrysomycin A, EvoPure®</b>	$C_{28}H_{28}O_9$	82196-88-1	>99%	≤30°C	-20°C
C154	<b>Chrysomycin B, EvoPure®</b>	$C_{27}H_{28}O_9$	83852-56-6	>98%	≤30°C	-20°C
C207	<b>Cidofovir dihydrate</b>	$C_8H_{18}N_3O_8P$	149394-66-1	≥98.0%	≤30°C	≤30°C
C175	<b>Cinnamycin</b>	$C_{89}H_{125}N_{25}O_{25}S_3$	110655-58-8	>98%	≤30°C	-20°C
C031	<b>Ciprofloxacin</b>	$C_{17}H_{18}FN_3O_3$	85721-33-1	≥95.0%	≤30°C	2-8°C
C032	<b>Ciprofloxacin HCl</b>	$C_{17}H_{18}FN_3O_3 \cdot HCl$	86393-32-0	98.0-102.0%	≤30°C	2-8°C
C203	<b>Cisplatin</b>	$Cl_2H_6N_2Pt$	15663-27-1	N/A	≤30°C	≤30°C
C176	<b>Citreoviridin</b>	$C_{23}H_{30}O_6$	25425-12-1	>97%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
C177	<b>Citrinin</b>	$C_{13}H_{14}O_6$	518-75-2	>99%	≤30°C	-20°C
C178	<b>Citromycetin</b>	$C_{14}H_{10}O_7$	478-60-4	>95%	≤30°C	-20°C
C033	<b>Clarithromycin</b>	$C_{38}H_{69}NO_{13}$	81103-11-9	96.0-102.0%	≤30°C	2-8°C
C128	<b>Clarithromycin impurity C, EvoPure®</b>	N/A	N/A	≥95.0%	≤30°C	-20°C
C140	<b>Clarithromycin impurity D, EvoPure®</b>	$C_{37}H_{67}NO_{13}$	101666-68-6	N/A	≤30°C	-20°C
C143	<b>Clarithromycin impurity H, EvoPure®</b>	$C_{30}H_{55}NO_{10}$	127140-69-6	N/A	≤30°C	-20°C
C131	<b>Clarithromycin impurity I, EvoPure®</b>	$C_{30}H_{55}NO_{10}$	N/A	≥95.0%	≤30°C	-20°C
C132	<b>Clarithromycin impurity J, EvoPure®</b>	$C_{37}H_{66}N_2O_{13}$	13127-18-9	≥95.0%	≤30°C	-20°C
C133	<b>Clarithromycin impurity K, EvoPure®</b>	$C_{30}H_{51}NO_8$	127157-35-1	≥95.0%	≤30°C	-20°C
C134	<b>Clarithromycin impurity L, EvoPure®</b>	$C_{38}H_{70}N_2O_{13}$	103450-87-9	≥99.0%	≤30°C	-20°C
C135	<b>Clarithromycin impurity M, EvoPure®</b>	$C_{37}H_{67}NO_{13}$	N/A	≥99.0%	≤30°C	-20°C
E022	<b>Clarithromycin impurity Z, EvoPure®</b>	$C_{37}H_{66}N_2O_{13}$	N/A	N/A	≤30°C	-20°C
C065	<b>Clavulanate potassium w/cellulose</b>	Mixture	N/A	>80.0%	≤30°C	2-8°C
C141	<b>Clavulanic acid potassium w/SiO2</b>	Mixutre	N/A	1:01	≤30°C	2-8°C
C035	<b>Clindamycin HCl</b>	$C_{18}H_{33}ClN_2O_5S \cdot HCl$	21462-39-5	≥800 µg/mg	≤30°C	2-8°C
C036	<b>Clindamycin phosphate</b>	$C_{16}H_{34}ClN_2O_8PS$	24729-96-2	≥758 µg/mg	≤30°C	2-8°C
C201	<b>Clofazimine</b>	$C_{27}H_{22}Cl_2N_4$	230-63-9	≥98.0%	≤30°C	≤30°C
C037	<b>Clotrimazole</b>	$C_{22}H_{17}ClN_2$	23593-75-1	≥95.0%	≤30°C	2-8°C
C038	<b>Cloxacillin sodium</b>	$C_{19}H_{17}ClN_3NaO_5S \cdot H_2O$	7081-44-9	≥95.0%	≤30°C	2-8°C
C179	<b>Cochlioquinone A, EvoPure®</b>	$C_{30}H_{44}O_8$	32450-25-2	>99%	≤30°C	-20°C
C180	<b>Cochlioquinone B, EvoPure®</b>	$C_{28}H_{40}O_6$	32450-26-3	>99%	≤30°C	-20°C
C093	<b>Colchicine</b>	$C_{22}H_{25}NO_6$	64-86-8	>900 µg/mg	≤30°C	2-8°C
C073	<b>Colistin sodium methanesulfonate</b>	$C_{58}H_{105}N_{16}Na_5O_{28}S_5$	8068-28-8	≥95.0%	≤30°C	2-8°C
C083	<b>Colistin sulfate, USP</b>	$C_{53}H_{102}N_{16}O_{17}S$	1264-72-8	≥19900 u/mg	≤30°C	2-8°C
C181	<b>Collismycin</b>	$C_{13}H_{13}N_3O_2S$	158792-24-6	>95%	≤30°C	-20°C
C182	<b>Concanamycin A, EvoPure®</b>	$C_{46}H_{75}NO_{14}$	80890-47-7	>99%	≤30°C	-20°C
C183	<b>Concanamycin B, EvoPure®</b>	$C_{45}H_{73}NO_{14}$	81552-33-2	>95%	≤30°C	-20°C
C125	<b>Conglobatin</b>	$C_{28}H_{38}N_2O_6$	72263-05-9	>95.0%	≤30°C	2-8°C
C184	<b>Corynecin I, EvoPure®</b>	$C_{11}H_{14}N_2O_5$	4423-58-9	>99%	≤30°C	-20°C
C185	<b>Corynecin II, EvoPure®</b>	$C_{12}H_{16}N_2O_5$	35098-52-3	>99%	≤30°C	-20°C
C186	<b>Corynecin III, EvoPure®</b>	$C_{13}H_{18}N_2O_5$	18048-95-8	>99%	≤30°C	-20°C
C187	<b>Corynecin IV, EvoPure®</b>	$C_{13}H_{16}N_2O_6$	40958-11-0	>99%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
C188	<b>Corynecin V, EvoPure®</b>	C <sub>14</sub> H <sub>18</sub> N <sub>2</sub> O <sub>6</sub>	40958-12-1	>99%	≤30°C	-20°C
C189	<b>Curvularin</b>	C <sub>16</sub> H <sub>20</sub> O <sub>5</sub>	10140-70-2	>99%	≤30°C	-20°C
C190	<b>Cycloechinulin</b>	C <sub>20</sub> H <sub>21</sub> N <sub>3</sub> O <sub>3</sub>	143086-29-7	>99%	≤30°C	-20°C
C001	<b>Cycloheximide</b>	C <sub>15</sub> H <sub>23</sub> NO <sub>4</sub>	66-81-9	≥90.0%	≤30°C	≤30°C
C084	<b>Cycloheximide 100 mg/ml in DMSO</b>	Solution	66-81-9	Solution	≤30°C	2-8°C
C123	<b>Cycloheximide A, EvoPure®</b>	C <sub>15</sub> H <sub>23</sub> NO <sub>4</sub>	66-81-9	≥99.0%	≤30°C	-20°C
C071	<b>Cycloheximide, Ultrapure</b>	C <sub>15</sub> H <sub>23</sub> NO <sub>4</sub>	66-81-9	≥98.0%	≤30°C	≤30°C
C191	<b>Cyclopenin</b>	C <sub>17</sub> H <sub>14</sub> N <sub>2</sub> O <sub>3</sub>	19553-26-5	>99%	≤30°C	-20°C
C192	<b>Cyclopiazonic acid</b>	C <sub>20</sub> H <sub>20</sub> N <sub>2</sub> O <sub>3</sub>	18172-33-3	>98%	≤30°C	-20°C
C042	<b>Cyclosporin A, EvoPure®</b>	C <sub>62</sub> H <sub>111</sub> N <sub>11</sub> O <sub>12</sub>	59865-13-3	≥99.0%	≤30°C	2-8°C
C043	<b>Cyclosporin B, EvoPure®</b>	C <sub>61</sub> H <sub>109</sub> N <sub>11</sub> O <sub>12</sub>	63775-95-1	≥98.0%	≤30°C	2-8°C
C044	<b>Cyclosporin C, EvoPure®</b>	C <sub>62</sub> H <sub>111</sub> N <sub>11</sub> O <sub>13</sub>	59787-61-0	≥95.0%	≤30°C	-20°C
C045	<b>Cyclosporin D, EvoPure®</b>	C <sub>63</sub> H <sub>113</sub> N <sub>11</sub> O <sub>12</sub>	63775-96-2	≥95.0%	≤30°C	2-8°C
C097	<b>Cyclosporin E, EvoPure®</b>	C <sub>61</sub> H <sub>109</sub> N <sub>11</sub> O <sub>12</sub>	N/A	≥95.0%	≤30°C	2-8°C
C046	<b>Cyclosporin H, EvoPure®</b>	C <sub>62</sub> H <sub>111</sub> N <sub>11</sub> O <sub>12</sub>	83602-39-5	≥90.0%	≤30°C	2-8°C
C098	<b>Cyclosporin L, EvoPure®</b>	C <sub>61</sub> H <sub>109</sub> N <sub>11</sub> O <sub>12</sub>	N/A	≥90.0%	≤30°C	2-8°C
C193	<b>Cytochalasin A, EvoPure®</b>	C <sub>29</sub> H <sub>35</sub> NO <sub>5</sub>	14110-64-6	>98%	≤30°C	-20°C
C194	<b>Cytochalasin B, EvoPure®</b>	C <sub>29</sub> H <sub>37</sub> NO <sub>5</sub>	14930-96-2	>99%	≤30°C	-20°C
C195	<b>Cytochalasin C, EvoPure®</b>	C <sub>30</sub> H <sub>37</sub> NO <sub>6</sub>	22144-76-9	>99%	≤30°C	-20°C
C196	<b>Cytochalasin D, EvoPure®</b>	C <sub>30</sub> H <sub>37</sub> NO <sub>6</sub>	22144-77-0	>99%	≤30°C	-20°C
C197	<b>Cytochalasin E, EvoPure®</b>	C <sub>28</sub> H <sub>33</sub> NO <sub>7</sub>	36011-19-5	>99%	≤30°C	-20°C
C198	<b>Cytochalasin H, EvoPure®</b>	C <sub>30</sub> H <sub>39</sub> NO <sub>5</sub>	53760-19-3	>95%	≤30°C	-20°C
C199	<b>Cytochalasin J, EvoPure®</b>	C <sub>28</sub> H <sub>37</sub> NO <sub>4</sub>	56144-22-0	>95%	≤30°C	-20°C
D014	<b>Dalbavancin</b>	C <sub>88</sub> H <sub>100</sub> Cl <sub>2</sub> N <sub>10</sub> O <sub>28</sub>	171500-79-1	>98%	≤30°C	-20°C
D034	<b>Dalfopristin mesylate</b>	C <sub>35</sub> H <sub>54</sub> N <sub>4</sub> O <sub>12</sub> S <sub>2</sub>	112362-50-2	>98%	≤30°C	-20°C
D024	<b>Daptomycin</b>	C <sub>72</sub> H <sub>101</sub> N <sub>17</sub> O <sub>26</sub>	103060-53-3	>95.0%	≤30°C	-20°C
D001	<b>Daunorubicin HCl</b>	C <sub>27</sub> H <sub>29</sub> NO <sub>10</sub> • HCl	23541-50-6	≥95.0%	≤30°C	2-8°C
D035	<b>Davercin</b>	C <sub>38</sub> H <sub>65</sub> NO <sub>14</sub>	55224-05-0	>98%	≤30°C	-20°C
C041	<b>D-Cycloserine</b>	C <sub>3</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub>	68-41-7	98.0-102.0%	≤30°C	2-8°C
D036	<b>Deacetylanisomycin</b>	C <sub>12</sub> H <sub>17</sub> NO <sub>3</sub>	27958-06-1	>99%	≤30°C	-20°C
D037	<b>Deacetylavidomycin</b>	C <sub>29</sub> H <sub>31</sub> NO <sub>8</sub>	88580-27-2	>95%	≤30°C	-20°C
D038	<b>Decatromicin B</b>	C <sub>45</sub> H <sub>56</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>10</sub>	235097-64-0	>95%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
D039	<b>Deethylindanomycin</b>	$C_{29}H_{39}NO_4$	117615-33-5	>95%	≤30°C	-20°C
D041	<b>Delta-2-avermectin B1a, EvoPure®</b>	$C_{48}H_{72}O_{14}$	N/A	>95%	≤30°C	-20°C
D061	<b>Delta-2-doramectin, EvoPure®</b>	$C_{50}H_{74}O_{14}$	N/A	>95%	≤30°C	-20°C
I028	<b>Delta-2-ivermectin B1a, EvoPure®</b>	$C_{48}H_{74}O_{14}$	N/A	>95%	≤30°C	-20°C
D031	<b>Demeclocycline</b>	$C_{21}H_{21}ClN_2O_8$	127-33-3	>98%	≤30°C	-20°C
D032	<b>Demeclocycline hydrochloride</b>	$C_{21}H_{22}Cl_2N_2O_8$	64-73-3	>98%	≤30°C	-20°C
D042	<b>Demethoxyviridol</b>	$C_{19}H_{16}O_5$	56617-66-4	>95%	≤30°C	-20°C
D023	<b>Demethylbleomycin A2 sulfate, EvoPure®</b>	$C_{34}H_{81}N_{17}O_{21}S_3 \cdot H_2SO_4$	N/A	96.00%	≤30°C	-20°C
D043	<b>Deoxyenterocin</b>	$C_{22}H_{20}O_9$	108605-51-2	>99%	≤30°C	-20°C
D044	<b>Deoxyfusapyrone</b>	$C_{34}H_{54}O_8$	156856-32-5	>98%	≤30°C	-20°C
D045	<b>Deoxyviolacein</b>	$C_{20}H_{13}N_3O_2$	5839-61-2	>99%	≤30°C	-20°C
D022	<b>De-Plasma®</b>	Proprietary	Mixture	N/A	≤30°C	2-8°C
D046	<b>Derquantel</b>	$C_{28}H_{37}N_3O_4$	187865-22-1	>98%	≤30°C	-20°C
D047	<b>Desertomycin A</b>	$C_{61}H_{109}NO_{21}$	121820-50-6	>95%	≤30°C	-20°C
D049	<b>Desotamide</b>	$C_{35}H_{52}N_8O_7$	194660-14-5	>95%	≤30°C	-20°C
D050	<b>Diacetylcercosporin</b>	$C_{34}H_{32}O_{12}$	N/A	>95%	≤30°C	-20°C
D051	<b>Diacetylphloroglucinol</b>	$C_{10}H_{10}O_5$	2161-86-6	>95%	≤30°C	-20°C
D021	<b>Difloxacin HCl</b>	$C_{21}H_{19}F_2N_3O_3 \cdot HCl$	91296-86-5	≥98.0%	≤30°C	2-8°C
D052	<b>Dihydroaeruginolic acid</b>	$C_{10}H_9NO_3S$	143209-04-5	>98%	≤30°C	-20°C
D053	<b>Dihydrocyclosporin A, EvoPure®</b>	$C_{62}H_{113}N_{11}O_{12}$	59865-15-5	>98%	≤30°C	-20°C
D054	<b>Dihydropleuromutilin</b>	$C_{22}H_{36}O_5$	42302-24-9	>95%	≤30°C	-20°C
D055	<b>Dihydrospinosyn A aglycone</b>	$C_{24}H_{36}O_5$	727695-12-7	>95%	≤30°C	-20°C
D003	<b>Dihydrostreptomycin sulfate</b>	$C_{21}H_{43}N_7O_{16}S$	5490-27-7	≥700 µg/mg	≤30°C	2-8°C
D009	<b>Dimetridazole</b>	$C_5H_7N_3O_2$	551-92-8	≥95.0%	≤30°C	2-8°C
D057	<b>Dinactin</b>	$C_{42}H_{68}O_{12}$	20261-85-2	>95%	≤30°C	-20°C
D033	<b>Dirithromycin</b>	$C_{42}H_{78}N_2O_{14}$	62013-04-1	>98%	≤30°C	-20°C
P034	<b>DL-Phosphinothricin</b>	$C_5H_{15}N_2O_4P$	77182-82-2	≥95.0%	≤30°C	2-8°C
D058	<b>Doramectin</b>	$C_{50}H_{74}O_{14}$	117704-25-3	>99%	≤30°C	-20°C
D059	<b>Doramectin aglycone</b>	$C_{36}H_{50}O_8$	N/A	>95%	≤30°C	-20°C
D060	<b>Doramectin monosaccharide</b>	$C_{43}H_{62}O_{11}$	165108-44-1	>95%	≤30°C	-20°C
D063	<b>Doxorubicin</b>	$C_{27}H_{29}NO_{11}$	23214-92-8	>99%	≤30°C	-20°C
D005	<b>Doxorubicin HCl, USP</b>	$C_{27}H_{29}NO_{11} \cdot HCl$	25316-40-9	98.0-102.0%	≤30°C	2-8°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
D064	<b>Doxycycline</b>	$C_{22}H_{24}N_2O_8$	564-25-0	>98%	≤30°C	-20°C
D006	<b>Doxycycline hyclate</b>	$C_{22}H_{24}N_2O_8 \cdot HCl \cdot \frac{1}{2}H_2O \cdot \frac{1}{2}C_2H_6O$	24390-14-5	≥90.0%	≤30°C	2-8°C
D065	<b>Doxycycline hydrochloride</b>	$C_{22}H_{25}ClN_2O_8$	10592-13-9	>98%	≤30°C	-20°C
D066	<b>Drimentine A, EvoPure®</b>	$C_{32}H_{45}N_3O_2$	204398-90-3	>98%	≤30°C	-20°C
D067	<b>Drimentine B, EvoPure®</b>	$C_{31}H_{39}N_3O_2$	204398-91-4	>98%	≤30°C	-20°C
D068	<b>Drimentine C, EvoPure®</b>	$C_{31}H_{41}N_3O_2$	204398-92-5	>98%	≤30°C	-20°C
E031	<b>Echinocandin B</b>	$C_{52}H_{81}N_7O_{16}$	54651-05-7	>95%	≤30°C	-20°C
E001	<b>Econazole nitrate</b>	$C_{18}H_{15}Cl_3N_2O \cdot HNO_3$	24169-02-6	≥95.0%	≤30°C	≤30°C
E032	<b>Elaiophylin</b>	$C_{54}H_{88}O_{18}$	37318-06-2	>95%	≤30°C	-20°C
E033	<b>Emamectin B1a, EvoPure®</b>	$C_{49}H_{75}NO_{13}$	121124-29-6	>99%	≤30°C	-20°C
E034	<b>Emamectin B1b, EvoPure®</b>	$C_{48}H_{73}NO_{13}$	121424-52-0	>99%	≤30°C	-20°C
E039	<b>Enniatin</b>	$C_{36}H_{63}N_3O_9$	2503-13-1	>99%	≤30°C	-20°C
E035	<b>Enniatin A, EvoPure®</b>	$C_{35}H_{61}N_3O_9$	4530-21-6	>99%	≤30°C	-20°C
E036	<b>Enniatin A1, EvoPure®</b>	$C_{33}H_{57}N_3O_9$	917-13-5	>99%	≤30°C	-20°C
E037	<b>Enniatin B, EvoPure®</b>	$C_{34}H_{59}N_3O_9$	19914-20-6	>99%	≤30°C	-20°C
E038	<b>Enniatin B1, EvoPure®</b>	$C_{33}H_{57}N_3O_9$ (for B)	11113-62-5	>95%	≤30°C	-20°C
E040	<b>Enopeptin A</b>	$C_{47}H_{57}N_7O_{11}$	139601-96-0	>95%	≤30°C	-20°C
E029	<b>Enoxacin</b>	$C_{15}H_{17}FN_4O_3$	74011-58-8	98.5-102.0%	≤30°C	≤30°C
E006	<b>Enramycin</b>	Mixture	11115-82-5	95.0%	≤30°C	2-8°C
E018	<b>Enramycin A, EvoPure®</b>	$C_{107}H_{138}Cl_2N_{26}O_{31}$	N/A	≥95.0%	≤30°C	2-8°C
E019	<b>Enramycin B, EvoPure®</b>	$C_{108}H_{140}Cl_2N_{26}O_{31}$	N/A	≥90.0%	≤30°C	2-8°C
E016	<b>Enrofloxacin</b>	$C_{19}H_{22}FN_3O_3$	93106-60-6	≥98.0%	≤30°C	2-8°C
E007	<b>Enrofloxacin HCl</b>	$C_{19}H_{22}FN_3O_3$	93106-60-6	≥97.0%	≤30°C	2-8°C
E030	<b>Entecavir</b>	$C_{12}H_{15}N_5O_3$	14221-69-4	98.0-102.0%	≤30°C	≤30°C
E041	<b>Enterocin</b>	$C_{22}H_{20}O_{10}$	59678-46-5	>95%	≤30°C	-20°C
E042	<b>Epihydrochlortetracycline hydrochloride, EvoPure®</b>	$C_{22}H_{22}Cl_2N_2O_7$	158018-53-2	>95%	≤30°C	-20°C
E043	<b>Epi-ivermectin B1a, EvoPure®</b>	$C_{48}H_{72}O_{14}$	106434-14-4	>95%	≤30°C	-20°C
E020	<b>Epibrassinolide</b>	$C_{28}H_{48}O_6$	78821-43-9	>85.0%	≤30°C	-20°C
E061	<b>Epichlortetracycline hydrochloride, EvoPure®</b>	$C_{22}H_{24}Cl_2N_2O_8$	101342-45-4	>95%	≤30°C	-20°C
D062	<b>Epi-doramectin, EvoPure®</b>	$C_{50}H_{74}O_{14}$	N/A	>95%	≤30°C	-20°C
E044	<b>Epiequisetin</b>	$C_{22}H_{31}NO_4$	255377-45-8	>98%	≤30°C	-20°C
E060	<b>Epi-ivermectin B1a, EvoPure®</b>	$C_{48}H_{74}O_{14}$	N/A	>95%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
E045	<b>Epioxytetracycline, EvoPure®</b>	C <sub>22</sub> H <sub>24</sub> N <sub>2</sub> O <sub>9</sub>	14206-58-7	>95%	≤30°C	-20°C
E046	<b>Epothilone A, EvoPure®</b>	C <sub>26</sub> H <sub>39</sub> NO <sub>6</sub> S	152044-53-6	>98%	≤30°C	-20°C
E047	<b>Epothilone B, EvoPure®</b>	C <sub>27</sub> H <sub>41</sub> NO <sub>6</sub> S	152044-54-7	>98%	≤30°C	-20°C
E050	<b>Eprinomectin</b>	C <sub>50</sub> H <sub>75</sub> NO <sub>14</sub>	123997-26-2	>95%	≤30°C	-20°C
E051	<b>Eprinomectin B1a, EvoPure®</b>	C <sub>50</sub> H <sub>75</sub> NO <sub>14</sub>	133305-88-1	>99%	≤30°C	-20°C
E052	<b>Eprinomectin B1b, EvoPure®</b>	C <sub>49</sub> H <sub>73</sub> NO <sub>14</sub>	13305-89-2	>99%	≤30°C	-20°C
E053	<b>Equisetin</b>	C <sub>22</sub> H <sub>31</sub> NO <sub>4</sub>	57749-43-6	>99%	≤30°C	-20°C
E017	<b>Erlotinib HCl</b>	C <sub>22</sub> H <sub>25</sub> N <sub>3</sub> O <sub>4</sub>	183321-74-6	98.0-101.0%	≤30°C	2-8°C
E008	<b>Ertapenem sodium, EvoPure®</b>	C <sub>22</sub> H <sub>24</sub> N <sub>3</sub> NaO <sub>7</sub> S	153773-82-1	≥98.0%	≤30°C	-20°C
E002	<b>Erythromycin</b>	C <sub>37</sub> H <sub>67</sub> NO <sub>13</sub>	114-07-8	≥90.0%	≤30°C	2-8°C
E025	<b>Erythromycin A enol ether, EvoPure®</b>	C <sub>37</sub> H <sub>65</sub> NO <sub>12</sub>	33396-29-1	≥97.0%	≤30°C	-20°C
E054	<b>Erythromycin A N-oxide, EvoPure®</b>	C <sub>37</sub> H <sub>67</sub> NO <sub>14</sub>	992-65-4	>98%	≤30°C	-20°C
E055	<b>Erythromycin A oxime, EvoPure®</b>	C <sub>37</sub> H <sub>67</sub> NO <sub>14</sub>	111321-02-9	>98%	≤30°C	-20°C
E027	<b>Erythromycin A, EvoPure®</b>	C <sub>37</sub> H <sub>67</sub> NO <sub>13</sub> • 2H <sub>2</sub> O	59319-72-1	N/A	≤30°C	2-8°C
E021	<b>Erythromycin B, EvoPure®</b>	C <sub>37</sub> H <sub>67</sub> NO <sub>12</sub>	527-75-3	≥98.0%	≤30°C	-20°C
E056	<b>Erythromycin C, EvoPure®</b>	C <sub>36</sub> H <sub>65</sub> NO <sub>13</sub>	1675-02-1	>98%	≤30°C	-20°C
E003	<b>Erythromycin estolate</b>	C <sub>52</sub> H <sub>97</sub> NO <sub>18</sub> S	3521-62-8	≥95.0%	≤30°C	2-8°C
E004	<b>Erythromycin ethylsuccinate</b>	C <sub>43</sub> H <sub>75</sub> NO <sub>16</sub>	41342-53-4	≥95.0%	≤30°C	2-8°C
D027	<b>Erythromycin impurity B, EvoPure®</b>	C <sub>36</sub> H <sub>65</sub> NO <sub>13</sub>	992-62-1	≥98.0%	≤30°C	-20°C
E057	<b>Erythromcyclamine</b>	C <sub>37</sub> H <sub>70</sub> N <sub>2</sub> O <sub>12</sub>	26116-56-3	>98%	≤30°C	-20°C
E009	<b>Ethambutol</b>	C <sub>10</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub>	74-55-5	≥98.0%	≤30°C	2-8°C
E005	<b>Ethambutol DiHCl</b>	C <sub>10</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> • HCl	1070-11-7	>99.0%	≤30°C	2-8°C
E010	<b>Ethionamide</b>	C <sub>8</sub> H <sub>10</sub> N <sub>2</sub> S	536-33-4	≥98.0%	≤30°C	2-8°C
E058	<b>Everolimus</b>	C <sub>43</sub> H <sub>69</sub> NO <sub>12</sub>	104987-12-4	>95%	≤30°C	-20°C
E059	<b>Extracellular death factor</b>	C <sub>27</sub> H <sub>36</sub> N <sub>10</sub> O <sub>10</sub>	960129-66-2	>95%	≤30°C	-20°C
F016	<b>Faropenem sodium</b>	C <sub>12</sub> H <sub>14</sub> NO <sub>5</sub> SNa	122547-49-3	>99.0%	≤30°C	-20°C
F024	<b>Feglymycin</b>	C <sub>95</sub> H <sub>97</sub> N <sub>13</sub> O <sub>30</sub>	209335-49-9	>95%	≤30°C	-20°C
F025	<b>Fidaxomicin</b>	C <sub>52</sub> H <sub>74</sub> Cl <sub>2</sub> O <sub>18</sub>	873857-62-6	>98%	≤30°C	-20°C
F020	<b>Filipin</b>	C <sub>35</sub> H <sub>58</sub> O <sub>11</sub>	11078-21-0	>95%	≤30°C	-20°C
F026	<b>Filipin II, EvoPure®</b>	C <sub>35</sub> H <sub>58</sub> O <sub>10</sub>	38620-77-8	>95%	≤30°C	-20°C
F021	<b>Filipin III, EvoPure®</b>	C <sub>35</sub> H <sub>58</sub> O <sub>11</sub>	480-49-9	>95%	≤30°C	-20°C
F001	<b>FK506</b>	C <sub>44</sub> H <sub>69</sub> NO <sub>12</sub>	104987-11-3	≥95.0%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
F002	<b>Florfenicol</b>	$C_{12}H_{14}Cl_2FNO_4S$	73231-34-2	≥90.0%	≤30°C	2-8°C
F027	<b>Florfenicol amine</b>	$C_{10}H_{14}FNO_3S$	76639-93-5	>99%	≤30°C	-20°C
F009	<b>Flucloxacillin sodium</b>	$C_{19}H_{16}ClFN_3NaO_5S$	1847-24-1	≥98.0%	≤30°C	2-8°C
F010	<b>Fluconazole</b>	$C_{13}H_{12}F_2N_6O$	86386-73-4	≥98.0%	≤30°C	2-8°C
F011	<b>Flumequine</b>	$C_{14}H_{12}FNO_3$	42835-25-6	≥98.0%	≤30°C	2-8°C
F013	<b>Fosfomycin sodium</b>	$C_3H_5Na_2O_4P$	4719-75-9	≥90.0%	≤30°C	2-8°C
F028	<b>Fostriecin</b>	$C_{19}H_{26}NaO_9P$	87810-56-8	>95%	≤30°C	-20°C
F029	<b>Fumagillin</b>	$C_{26}H_{34}O_7$	23110-15-8	>99%	≤30°C	-20°C
F023	<b>Fumitremorgin C</b>	$C_{22}H_{25}N_3O_3$	118974-02-0	>95%	≤30°C	-20°C
F030	<b>Fumonisin B1, EvoPure®</b>	$C_{34}H_{59}NO_{15}$	116355-83-0	>99%	≤30°C	-20°C
F031	<b>Fumonisin B2, EvoPure®</b>	$C_{34}H_{59}NO_{14}$	116355-84-1	>98%	≤30°C	-20°C
F004	<b>Furazolidone</b>	$C_5H_7N_3O_5$	67-45-8	≥98.0%	≤30°C	2-8°C
F032	<b>Fusapyrone</b>	$C_{34}H_{54}O_9$	156856-31-4	>98%	≤30°C	-20°C
F033	<b>Fusarisetin A</b>	$C_{22}H_{31}NO_5$	1300041-53-5	>98%	≤30°C	-20°C
F019	<b>Fusidic acid</b>	$C_{31}H_{48}O_6$	6990-06-3	97.5-101.0%	≤30°C	2-8°C
F005	<b>Fusidic acid sodium</b>	$C_{31}H_{47}O_6Na$	751-94-0	97.5%-101.5%	≤30°C	2-8°C
G001	<b>G418 Disulfate</b>	$C_{20}H_{40}N_4O_{10} \cdot 2H_2SO_4$	108321-42-2	≥760 µg/mL	≤30°C	2-8°C
G048	<b>G418 disulfate (low endotoxin)</b>	$C_{20}H_{40}N_4O_{10} \cdot 2H_2SO_4$	108321-42-2	≥90.0%	≤30°C	2-8°C
G021	<b>G418 Disulfate 50 mg/ml in water</b>	$C_{20}H_{40}N_4O_{10} \cdot 2H_2SO_4$	108321-42-2	≥90.0%	≤30°C	2-8°C
G030	<b>G418 Disulfate, EvoPure®</b>	$C_{20}H_{40}N_4O_{10} \cdot 2H_2SO_4$	108321-42-2	≥99.0%	≤30°C	2-8°C
G020	<b>G418 Disulfate, Solution (50 mg/ml)</b>	$C_{20}H_{40}N_4O_{10} \cdot 2H_2SO_4$	108321-42-2	≥90.0%	≤30°C	2-8°C
G051	<b>Galiellalactone</b>	$C_{11}H_{14}O_3$	133613-71-5	>95%	≤30°C	-20°C
G050	<b>Gamithromycin</b>	$C_{40}H_{76}N_2O_{12}$	145435-72-9	>95%	≤30°C	-20°C
G002	<b>Ganciclovir</b>	$C_9H_{13}N_5O_4$	82410-32-0	98.0% - 102.0%	≤30°C	2-8°C
G004	<b>Gatifloxacin</b>	$C_{19}H_{22}FN_3O_4$	112811-59-3	≥98.0%	≤30°C	2-8°C
G039	<b>Gefitinib</b>	$C_{22}H_{24}ClFN_4O_3$	184475-35-2	98.0-101.0%	≤30°C	2-8°C
G005	<b>Geldanamycin</b>	$C_{29}H_{40}N_2O_9$	30562-34-6	≥99.0%	≤30°C	2-8°C
G052	<b>Geninthiocin</b>	$C_{50}H_{49}N_{15}O_{15}S$	158792-27-9	>95%	≤30°C	-20°C
G035	<b>Gentamicin A Sulfate, EvoPure®</b>	$C_{18}H_{36}N_4O_{10} \cdot H_2SO_4$	13291-74-2	≥99.0%	≤30°C	2-8°C
G031	<b>Gentamicin C1 sulfate, EvoPure®</b>	$C_{21}H_{43}N_5O_7 \cdot H_2SO_4$	25876-10-2	≥95.0%	≤30°C	2-8°C
G032	<b>Gentamicin C1a sulfate, EvoPure®</b>	$C_{19}H_{39}N_5O_7 \cdot H_2SO_4$	26098-04-4	≥95.0%	≤30°C	2-8°C
G033	<b>Gentamicin C2 sulfate, EvoPure®</b>	$C_{20}H_{41}N_5O_7 \cdot H_2SO_4$	108321-42-2	≥95.0%	≤30°C	2-8°C



Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
G034	<b>Gentamicin C2a sulfate, EvoPure®</b>	$C_{20}H_{41}N_5O_7 \cdot H_2SO_4$	59751-72-3	≥95.0%	≤30°C	2-8°C
G046	<b>Gentamicin sulfate solution (50 mg/mL)</b>	$C_{21}H_{43}N_5O_7$	1405-41-0	N/A	≤30°C	2-8°C
G007	<b>Gentamicin Sulfate, EP</b>	$C_{19}H_{39}N_5O_7 \cdot 2H_2SO_4$	1405-41-0	≥590 IU/mg	≤30°C	2-8°C
G006	<b>Gentamicin sulfate, USP</b>	$C_{19}H_{39}N_5O_7 \cdot 2H_2SO_4$	1405-41-0	≥590 µg/mg	≤30°C	2-8°C
G036	<b>Gentamicin X2 sulfate, EvoPure®</b>	$C_{19}H_{38}N_4O_{10} \cdot H_2SO_4$	36889-17-5	≥98.0%	≤30°C	2-8°C
G053	<b>Germicidin A, EvoPure®</b>	$C_{11}H_{16}O_3$	150973-78-7	>95%	≤30°C	-20°C
G054	<b>Germicidin B, EvoPure®</b>	$C_{10}H_{14}O_3$	151271-57-7	>95%	≤30°C	-20°C
G055	<b>Gilvocarcin M</b>	$C_{26}H_{26}O_9$	77879-89-1	>95%	≤30°C	-20°C
G056	<b>Gilvocarcin V</b>	$C_{27}H_{26}O_9$	77879-90-4	>95%	≤30°C	-20°C
G057	<b>Gliotoxin</b>	$C_{13}H_{14}N_2O_4S_2$	67-99-2	>99%	≤30°C	-20°C
G038	<b>Gramicidin</b>	$C_{99}H_{140}N_{20}O_{17}$	1405-97-6	≥95.0%	≤30°C	2-8°C
G008	<b>Griseofulvin</b>	$C_{17}H_{17}ClO_6$	126-07-8	≥90.0%	≤30°C	2-8°C
H028	<b>Hemipyocyanine</b>	$C_{12}H_8N_2O$	528-71-2	>98%	≤30°C	-20°C
H029	<b>Herbicidin A</b>	$C_{23}H_{29}N_5O_{11}$	55353-31-6	>95%	≤30°C	-20°C
H002	<b>Herbimycin A</b>	$C_{30}H_{42}N_2O_9$	70563-58-5	≥95.0%	≤30°C	2-8°C
H030	<b>Herbimycin C</b>	$C_{29}H_{40}N_2O_9$	91700-92-4	>98%	≤30°C	-20°C
H009	<b>Hydrocortisone</b>	$C_{21}H_{30}O_5$	50-23-7	97.0% - 102.0%	≤30°C	2-8°C
H033	<b>Hygrolidin</b>	$C_{38}H_{58}O_{11}$	83329-73-1	>95%	≤30°C	-20°C
H007	<b>Hygromycin B</b>	$C_{20}H_{37}N_3O_{13}$	31282-04-9	≥92.0%	≤30°C	2-8°C
H001	<b>Hygromycin B, concentrated solution (450,000 U/ml)</b>	$C_{20}H_{37}N_3O_{13}$	31282-04-9	≥80.0%	≤30°C	2-8°C
H024	<b>Hygromycin B, EvoPure (low endotoxin)</b>	$C_{20}H_{37}N_3O_{13}$	31282-04-9	≥99%	≤30°C	2-8°C
H010	<b>Hygromycin B, EvoPure®</b>	$C_{20}H_{37}N_3O_{13}$	31282-04-9	≥99.5%	≤30°C	2-8°C
H015	<b>Hygromycin B, EvoPure® solution (100 mg/ml)</b>	$C_{20}H_{37}N_3O_{13}$	31282-04-9	≥99.5%	≤30°C	2-8°C
H011	<b>Hygromycin B, solution (50 mg/ml)</b>	$C_{20}H_{37}N_3O_{13}$	31282-04-9	≥92.0%	≤30°C	2-8°C
I018	<b>Ikarugamycin</b>	$C_{29}H_{38}N_2O_4$	36531-78-9	>99%	≤30°C	-20°C
I019	<b>Illudin S</b>	$C_{15}H_{20}O_4$	1149-99-1	>98%	≤30°C	-20°C
I012	<b>Imazapyr</b>	$C_{13}H_{15}N_3O_3$	81334-34-1	≥95.0%	≤30°C	2-8°C
I001	<b>Imipenem</b>	$C_{12}H_{17}N_3O_4S$	74431-23-5	≥95.0%	≤30°C	2-8°C
I005	<b>Imipenem w/ cilastatin</b>	Mixture	Mixture	Mixture	≤30°C	2-8°C
I020	<b>Indanomycin</b>	$C_{31}H_{43}NO_4$	66513-28-8	>95%	≤30°C	-20°C
I021	<b>Indolmycin</b>	$C_{14}H_{15}N_3O_2$	21200-24-8	>99%	≤30°C	-20°C
I022	<b>Integracin A</b>	$C_{37}H_{56}O_8$	224186-03-2	>95%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
I023	<b>Integracin B</b>	$C_{35}H_{54}O_7$	224186-05-4	>95%	≤30°C	-20°C
I013	<b>Iodoacetamide</b>	$C_2H_4INO$	144-48-9	≥98.0%	≤30°C	≤30°C
I033	<b>Ionomycin</b>	$C_{41}H_{72}O_9$	56092-81-0	>98%	≤30°C	-20°C
I002	<b>Irgasan</b>	$C_{12}H_7Cl_3O_2$	3380-34-5	≥99.0%	≤30°C	2-8°C
I017	<b>Isoaureomycin</b>	$C_{22}H_{23}ClNO_8$	514-53-4	98.00%	≤30°C	2-8°C
I024	<b>Isocyclosporin A, EvoPure®</b>	$C_{62}H_{111}N_{11}O_{12}$	59865-16-6	>98%	≤30°C	-20°C
I004	<b>Isoniazid</b>	$C_6H_7N_3O$	54-85-3	99.30%	≤30°C	2-8°C
I006	<b>Itraconazole</b>	$C_{35}H_{36}Cl_2N_6O_4$	84625-61-6	≥98.0%	≤30°C	2-8°C
I026	<b>Ivermectin B1a aglycone, EvoPure®</b>	$C_{48}H_{74}O_{14}$	70161-11-4	>95%	≤30°C	-20°C
I027	<b>Ivermectin B1a monosaccharide, EvoPure®</b>	$C_{34}H_{50}O_8$	123997-59-1	>99%	≤30°C	-20°C
I025	<b>Ivermectin B1a, EvoPure®</b>	$C_{41}H_{62}O_{11}$	123997-64-8	>99%	≤30°C	-20°C
I029	<b>Ivermectin B1b, EvoPure®</b>	$C_{47}H_{72}O_{14}$	70209-81-3	>95%	≤30°C	-20°C
I007	<b>Ivermectin, EP</b>	$C_{48}H_{74}O_{14}$	70288-86-7	95.0-102.0%	≤30°C	2-8°C
I008	<b>Ivermectin, USP</b>	$C_{48}H_{74}O_{14}$	70288-86-7	95.0-102.0%	≤30°C	2-8°C
K016	<b>K252A</b>	$C_{26}H_{19}N_3O_5$	99570-78-2	>98%	≤30°C	-20°C
K013	<b>Kanamycin A sulfate, EvoPure®</b>	$C_{18}H_{36}N_4O_{11} \cdot H_2O_4$	25389-94-0	≥99.0%	≤30°C	2-8°C
K004	<b>Kanamycin acid sulfate</b>	$C_{18}H_{36}N_4O_{11} \cdot 2H_2SO_4$	64013-70-3	670 IU/mg	≤30°C	2-8°C
K014	<b>Kanamycin B sulfate, EvoPure®</b>	$C_{18}H_{37}N_5O_{10} \cdot H_2SO_4$	29701-07-3	≥99.0%	≤30°C	2-8°C
K008	<b>Kanamycin sulfate</b>	$C_{18}H_{36}N_4O_{11}S \cdot H_2SO_4$	25389-94-0	≥750 µg/mg	≤30°C	2-8°C
K005	<b>Kasugamycin HCl</b>	$C_{14}H_{25}N_3O_9 \cdot HCl$	19408-46-9	≥73.5%	≤30°C	2-8°C
K018	<b>Kazusamycin A, EvoPure®</b>	$C_{33}H_{48}O_7$	92090-94-3	>95%	≤30°C	-20°C
K019	<b>Kazusamycin B, EvoPure®</b>	$C_{32}H_{46}O_7$	107140-30-7	>95%	≤30°C	-20°C
K017	<b>Kendomycin</b>	$C_{29}H_{42}O_6$	183202-73-5	>95%	≤30°C	-20°C
K006	<b>Ketoconazole</b>	$C_{26}H_{28}Cl_2N_4O_4$	65277-42-1	≥95.0%	≤30°C	2-8°C
K020	<b>Kibdelone A, EvoPure®</b>	$C_{29}H_{24}ClNO_{10}$	934464-77-4	>95%	≤30°C	-20°C
K021	<b>Kibdelone B, EvoPure®</b>	$C_{29}H_{26}ClNO_{10}$	934464-78-5	>95%	≤30°C	-20°C
K022	<b>Kibdelone C, EvoPure®</b>	$C_{29}H_{28}ClNO_{10}$	934464-79-6	>95%	≤30°C	-20°C
K023	<b>Kigamicin C</b>	$C_{41}H_{47}NO_{16}$	680571-51-1	>98%	≤30°C	-20°C
K024	<b>Kijanimicin</b>	$C_{67}H_{100}N_2O_{24}$	78798-08-0	>99%	≤30°C	-20°C
L021	<b>L 156602</b>	$C_{38}H_{64}N_8O_{13}$	125528-51-5	>95%	≤30°C	-20°C
L022	<b>L-681217</b>	$C_{36}H_{53}NO_{10}$	93522-10-2	>95%	≤30°C	-20°C
L023	<b>Lachnone A</b>	$C_{11}H_{10}O_4$	903892-99-9	>95%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
L024	<b>Lagosin</b>	$C_{35}H_{58}O_{12}$	6834-98-6	>95%	≤30°C	-20°C
L019	<b>Lamivudine</b>	$C_8H_{11}N_3O_3S$	134678-17-4	98.0-102.0%	≤30°C	2-8°C
L025	<b>Lasalocid</b>	$C_{34}H_{54}O_8$	25999-31-9	>98%	≤30°C	-20°C
L026	<b>Lasalocid sodium</b>	$C_{34}H_{53}NaO_8$	25999-20-6	>95%	≤30°C	-20°C
L027	<b>Lateropyrone</b>	$C_{15}H_{10}O_8$	93752-78-4	>99%	≤30°C	-20°C
L020	<b>Leptomycin A, EvoPure®</b>	$C_{32}H_{46}O_6$	87081-36-5	>99%	≤30°C	-20°C
L004	<b>Leptomycin B, EvoPure®</b>	$C_{33}H_{48}O_6$	87081-35-4	>99%	≤30°C	-20°C
L028	<b>Leucanicidin</b>	$C_{42}H_{70}O_{13}$	91021-66-8	>95%	≤30°C	-20°C
L029	<b>Leucinostatin A</b>	$C_{62}H_{111}N_{11}O_{13}$	76600-38-9	>95%	≤30°C	-20°C
L034	<b>Leucomycin</b>	$C_{40}H_{67}NO_{14}$	16846-34-7	>99%	≤30°C	-20°C
L030	<b>Leucomycin A1, EvoPure®</b>	$C_{41}H_{69}NO_{14}$	78897-52-6	>99%	≤30°C	-20°C
L031	<b>Leucomycin A13, EvoPure®</b>	$C_{41}H_{67}NO_{14}$	18361-46-1	>99%	≤30°C	-20°C
L032	<b>Leucomycin A4, EvoPure®</b>	$C_{39}H_{65}NO_{14}$	18361-45-0	>98%	≤30°C	-20°C
L033	<b>Leucomycin A5, EvoPure®</b>	N/A	1392-21-8	>95%	≤30°C	-20°C
L001	<b>Levofloxacin</b>	$C_{18}H_{20}FN_3O_4$	100986-85-4	≥98.0%	≤30°C	2-8°C
L035	<b>Lexithromycin</b>	$C_{36}H_{70}N_2O_{13}$	53066-26-5	>98%	≤30°C	-20°C
L014	<b>Lincomycin</b>	$C_{18}H_{34}N_2O_6S$	154-21-2	>99%	≤30°C	-20°C
L016	<b>Lincomycin HCl, EP</b>	$C_{18}H_{34}N_2O_6S \cdot HCl$	7179-49-9	89.5-102.0%	≤30°C	2-8°C
L002	<b>Lincomycin HCl, USP</b>	$C_{18}H_{34}N_2O_6S \cdot HCl$	7179-49-9	≥790 µg/mg	≤30°C	2-8°C
L007	<b>Linezolid</b>	$C_{16}H_{20}FN_3O_4$	165800-03-3	≥98.0%	≤30°C	2-8°C
L037	<b>Lipstatin</b>	$C_{29}H_{49}NO_5$	96829-59-3	>95%	≤30°C	-20°C
L038	<b>LL Z1640-2</b>	$C_{19}H_{22}O_7$	253863-19-3	>99%	≤30°C	-20°C
L039	<b>LL Z1640-4</b>	$C_{19}H_{24}O_7$	66018-41-5	>99%	≤30°C	-20°C
L005	<b>Lomefloxacin HCl</b>	$C_{17}H_{19}F_2N_3O_3$	98079-51-7	≥98.5%	≤30°C	-20°C
L013	<b>Lovastatin</b>	$C_{24}H_{36}O_5$	75330-75-5	≥95.0%	≤30°C	2-8°C
L040	<b>Luteoretulin</b>	$C_{19}H_{19}NO_5$	22388-89-2	>99%	≤30°C	-20°C
L041	<b>Luzopeptin A</b>	$C_{64}H_{78}N_{14}O_{24}$	75580-37-9	>99%	≤30°C	-20°C
L042	<b>Lydicamycin</b>	$C_{47}H_{74}N_4O_{10}$	133352-27-9	>95%	≤30°C	-20°C
M046	<b>Maduramicin</b>	$C_{47}H_{80}O_{17}$	79356-08-4	>98%	≤30°C	-20°C
M047	<b>Maduramicin ammonium</b>	$C_{47}H_{83}NO_{17}$	84878-61-5	>98%	≤30°C	-20°C
M014	<b>Marbofloxacin</b>	$C_{17}H_{19}FN_4O_4$	115550-35-1	≥98.0%	≤30°C	2-8°C
M048	<b>Marcfortine A</b>	$C_{28}H_{35}N_3O_4$	75731-43-0	>99%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
M001	<b>Mecillinam</b>	C <sub>15</sub> H <sub>23</sub> N <sub>3</sub> O <sub>3</sub> S	32887-01-7	≥95.0%	≤30°C	2-8°C
M049	<b>Meclocycline</b>	C <sub>22</sub> H <sub>21</sub> ClN <sub>2</sub> O <sub>8</sub>	2013-58-3	>98%	≤30°C	-20°C
M043	<b>Meclocycline sulfosalicylate</b>	C <sub>29</sub> H <sub>27</sub> ClN <sub>2</sub> O <sub>14</sub> S	73816-42-9	>98%	≤30°C	-20°C
M050	<b>Meleagrins</b>	C <sub>23</sub> H <sub>23</sub> N <sub>5</sub> O <sub>4</sub>	71751-77-4	>98%	≤30°C	-20°C
M028	<b>Meropenem w/ sodium carbonate</b>	C <sub>17</sub> H <sub>25</sub> N <sub>3</sub> O <sub>5</sub> S • Na <sub>2</sub> CO <sub>3</sub>	N/A	≥78.0%	≤30°C	2-8°C
M002	<b>Meropenem, USP</b>	C <sub>17</sub> H <sub>25</sub> N <sub>3</sub> O <sub>5</sub> S	96036-03-2	98.5-101.0%	≤30°C	2-8°C
M051	<b>Methacycline</b>	C <sub>22</sub> H <sub>22</sub> N <sub>2</sub> O <sub>8</sub>	914-00-1	>98%	≤30°C	-20°C
M003	<b>Methacycline HCl</b>	C <sub>22</sub> H <sub>22</sub> N <sub>2</sub> O <sub>8</sub> • HCl	3963-95-9	≥877 U/mg	≤30°C	≤30°C
M029	<b>Methicillin sodium</b>	C <sub>17</sub> H <sub>19</sub> N <sub>2</sub> NaO <sub>6</sub> S	132-92-3	≥98.0%	≤30°C	-20°C
M031	<b>Methotrexate sodium</b>	C <sub>20</sub> H <sub>20</sub> N <sub>8</sub> Na <sub>2</sub> O <sub>5</sub>	7413-34-5	≥98.5%	≤30°C	2-8°C
M011	<b>Metronidazole</b>	C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>3</sub>	443-48-1	≥98.0%	≤30°C	2-8°C
M004	<b>Mevastatin</b>	C <sub>23</sub> H <sub>34</sub> O <sub>5</sub>	73573-88-3	≥90.0%	≤30°C	2-8°C
M017	<b>Mezlocillin sodium, USP</b>	C <sub>21</sub> H <sub>24</sub> N <sub>5</sub> NaO <sub>6</sub> S <sub>2</sub> • H <sub>2</sub> O	59798-30-0	838-978 µg/mg	≤30°C	2-8°C
M044	<b>Micafungin</b>	C <sub>56</sub> H <sub>71</sub> N <sub>9</sub> O <sub>23</sub> S	235114-32-6	>98%	≤30°C	-20°C
M035	<b>Micafungin sodium</b>	C <sub>56</sub> H <sub>71</sub> N <sub>9</sub> NaO <sub>23</sub> S	208538-73-2	>98%	≤30°C	-20°C
M041	<b>Miconazole</b>	C <sub>15</sub> H <sub>14</sub> Cl <sub>4</sub> N <sub>2</sub> O	22916-47-8	99.0-101.0%	≤30°C	2-8°C
M005	<b>Miconazole nitrate</b>	C <sub>15</sub> H <sub>14</sub> Cl <sub>4</sub> N <sub>2</sub> O • HNO <sub>3</sub>	22832-87-7	≥98.0%	≤30°C	2-8°C
M055	<b>Micrococcin P1</b>	C <sub>48</sub> H <sub>49</sub> N <sub>13</sub> O <sub>9</sub> S <sub>6</sub>	67401-56-3	>95%	≤30°C	-20°C
M018	<b>Micronomicin sulfate</b>	C <sub>20</sub> H <sub>41</sub> N <sub>5</sub> O <sub>7</sub> • 2½H <sub>2</sub> SO <sub>4</sub>	66803-19-8	≥590 µg/mg	≤30°C	2-8°C
M007	<b>Midecamycin</b>	C <sub>41</sub> H <sub>67</sub> NO <sub>15</sub>	35457-80-8	≥900 u/mg	≤30°C	2-8°C
M056	<b>Milbemectin</b>	N/A	N/A	>95%	≤30°C	-20°C
M058	<b>Milbemycin A3 oxime, EvoPure®</b>	C <sub>31</sub> H <sub>44</sub> O <sub>7</sub>	51596-10-2	>95%	≤30°C	-20°C
M057	<b>Milbemycin A3, EvoPure®</b>	C <sub>31</sub> H <sub>43</sub> NO <sub>7</sub>	114177-14-9	>99%	≤30°C	-20°C
M060	<b>Milbemycin A4 oxime, EvoPure®</b>	C <sub>32</sub> H <sub>46</sub> O <sub>7</sub>	51596-11-3	>95%	≤30°C	-20°C
M059	<b>Milbemycin A4, EvoPure®</b>	C <sub>32</sub> H <sub>45</sub> NO <sub>7</sub>	93074-04-5	>99%	≤30°C	-20°C
M061	<b>Milbemycin D, EvoPure®</b>	C <sub>33</sub> H <sub>46</sub> O <sub>7</sub>	77855-81-3	>95%	≤30°C	-20°C
M062	<b>Minocycline</b>	C <sub>23</sub> H <sub>27</sub> N <sub>3</sub> O <sub>7</sub>	10118-90-8	>98%	≤30°C	-20°C
M008	<b>Minocycline HCl, USP</b>	C <sub>23</sub> H <sub>27</sub> N <sub>3</sub> O <sub>7</sub> • HCl	13614-98-7	89.0-102.0%	≤30°C	2-8°C
M063	<b>Mithramycin A</b>	C <sub>52</sub> H <sub>76</sub> O <sub>24</sub>	18378-89-7	>99%	≤30°C	-20°C
M009	<b>Mitomycin C, USP</b>	C <sub>15</sub> H <sub>18</sub> N <sub>4</sub> O <sub>5</sub>	50-07-7	≥970 µg/mg	≤30°C	2-8°C
M010	<b>Mitoxantrone HCl</b>	C <sub>22</sub> H <sub>28</sub> N <sub>4</sub> O <sub>6</sub>	65271-80-9	≥98.0%	≤30°C	2-8°C
M037	<b>Mizoribine</b>	C <sub>9</sub> H <sub>13</sub> N <sub>3</sub> O <sub>6</sub>	50924-49-7	≥97.0%	≤30°C	2-8°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
M064	<b>Moenomycin</b>	$C_{69}H_{107}N_4O_{35}P$	11015-37-5	>95%	≤30°C	-20°C
M065	<b>Monactin</b>	$C_{41}H_{66}O_{12}$	7182-54-9	>95%	≤30°C	-20°C
M066	<b>Monazomycin</b>	$C_{72}H_{133}NO_{22}$	11006-31-8	>95%	≤30°C	-20°C
M067	<b>Monensin A</b>	$C_{36}H_{62}O_{11}$	17090-79-8	>95%	≤30°C	-20°C
M068	<b>Moniliformin</b>	$C_4HNO_3Na$	71376-34-6	>99%	≤30°C	-20°C
M069	<b>Monoacetylphloroglucinol</b>	$C_8H_8O_4$	480-66-0	>95%	≤30°C	-20°C
M036	<b>Monodechlorovancomycin, EvoPure®</b>	$C_{66}H_{76}ClN_9O_{24}$	N/A	≥95.0%	≤30°C	-20°C
M070	<b>Moxidectin</b>	$C_{37}H_{53}NO_8$	113507-06-5	>95%	≤30°C	-20°C
M033	<b>Moxifloxacin HCl</b>	$C_{21}H_{24}FN_3O_4 \cdot HCl$	186826-86-8	≥97.0%	≤30°C	2-8°C
M040	<b>Mupirocin calcium</b>	$C_{26}H_{43}O_9 \cdot 0.5Ca \cdot H_2O$	115074-43-6	865-936 µg/mg	≤30°C	2-8°C
M023	<b>Mupirocin lithium</b>	$C_{26}H_{43}LiO_9$	73346-79-9	≥95.0%	≤30°C	2-8°C
M022	<b>Mupirocin, USP</b>	$C_{26}H_{44}O_9$	12650-69-0	920-1020 µg/mg	≤30°C	2-8°C
M071	<b>Mutilin</b>	$C_{20}H_{32}O_3$	6040-37-5	>99%	≤30°C	-20°C
M012	<b>Mycophenolic acid</b>	$C_{17}H_{20}O_6$	24280-93-1	≥99.0%	≤30°C	2-8°C
M045	<b>Myriocin</b>	$C_{21}H_{39}NO_6$	35891-70-4	>97%	≤30°C	-20°C
N011	<b>Nalidixic acid</b>	$C_{12}H_{12}N_2O_3$	398-08-2	≥99.0%	≤30°C	≤30°C
N001	<b>Nalidixic acid sodium</b>	$C_{12}H_{11}N_2NaO_3$	3374-05-8	≥99.0%	≤30°C	≤30°C
N030	<b>Narasin</b>	$C_{43}H_{72}O_{11}$	55134-13-9	>98%	≤30°C	-20°C
N033	<b>Narasin sodium</b>	$C_{43}H_{71}NaO_{11}$	58331-17-2	>98%	≤30°C	-20°C
N034	<b>Nargenicin</b>	$C_{29}H_{39}NO_{10}$	75923-01-2	>99%	≤30°C	-20°C
N002	<b>Natamycin</b>	$C_{33}H_{47}NO_{13}$	7681-93-8	≥900 µg/mg	≤30°C	2-8°C
N035	<b>Nemadectin</b>	$C_{36}H_{52}O_8$	102130-84-7	>95%	≤30°C	-20°C
N036	<b>Neoantimycin</b>	$C_{36}H_{46}N_2O_{12}$	22862-63-1	>98%	≤30°C	-20°C
N037	<b>Neoauerothin</b>	$C_{28}H_{31}NO_6$	28900-27-8	>98%	≤30°C	-20°C
N026	<b>Neomycin A sulfate, EvoPure®</b>	$C_{12}H_{26}N_4O_6$	1404-04-2	≥99.0%	≤30°C	-20°C
N019	<b>Neomycin B sulfate, EvoPure®</b>	$C_{23}H_{46}N_6O_{13} \cdot H_2SO_4$	4146-30-9	≥99.0%	≤30°C	2-8°C
N022	<b>Neomycin C sulfate, EvoPure®</b>	$C_{23}H_{46}N_6O_{13}$	66-86-4	≥95.0%	≤30°C	-20°C
N020	<b>Neomycin solution (10 mg/ml)</b>	$C_{23}H_{46}N_6O_{13}$	1404-04-2	Sterile	≤30°C	2-8°C
N012	<b>Neomycin sulfate, EP</b>	$C_{23}H_{46}N_6O_{13} \cdot H_2SO_4$	1405-10-3	≥680 IU/mg	≤30°C	2-8°C
N003	<b>Neomycin sulfate, USP</b>	$C_{23}H_{46}N_6O_{13} \cdot H_2SO_4$	1405-10-3	≥600 µg/mg	≤30°C	2-8°C
N004	<b>Netilmicin sulfate</b>	$C_{21}H_{41}N_5O_7 \cdot 5H_2SO_4$	56391-57-2	>595 µg/mg	≤30°C	2-8°C
N018	<b>Nicotinamide, USP</b>	$C_6H_6N_2O$	98-92-0	98.5-101.5%	≤30°C	2-8°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
N038	<b>Nidulin</b>	C <sub>20</sub> H <sub>17</sub> Cl <sub>3</sub> O <sub>5</sub>	10089-10-8	>99%	≤30°C	-20°C
N039	<b>Nigericin</b>	C <sub>40</sub> H <sub>68</sub> O <sub>11</sub>	28380-24-7	>98%	≤30°C	-20°C
N015	<b>Nigericin sodium</b>	C <sub>40</sub> H <sub>67</sub> NaO <sub>11</sub>	28380-24-7	≥99.0%	≤30°C	2-8°C
N013	<b>Nisin</b>	C <sub>143</sub> H <sub>230</sub> N <sub>42</sub> O <sub>37</sub> S <sub>7</sub>	1414-45-5	≥90.0%	≤30°C	2-8°C
N005	<b>Nitrocefin</b>	C <sub>21</sub> H <sub>16</sub> N <sub>4</sub> O <sub>8</sub> S <sub>2</sub>	41906-86-9	≥95.0%	≤30°C	2-8°C
N006	<b>Nitrofurantoin, USP</b>	C <sub>8</sub> H <sub>6</sub> N <sub>4</sub> O <sub>5</sub>	67-20-9	98.0-102.0%	≤30°C	2-8°C
N040	<b>Nodusmicin</b>	C <sub>23</sub> H <sub>34</sub> O <sub>7</sub>	76265-48-0	>99%	≤30°C	-20°C
N031	<b>Nogalamycin</b>	C <sub>39</sub> H <sub>49</sub> NO <sub>16</sub>	1404-15-5	>95%	≤30°C	-20°C
N032	<b>Nonactin</b>	C <sub>40</sub> H <sub>64</sub> O <sub>12</sub>	6833-84-7	>99%	≤30°C	-20°C
N008	<b>Norfloxacin</b>	C <sub>16</sub> H <sub>18</sub> FN <sub>3</sub> O <sub>3</sub>	70458-96-7	≥95.0%	≤30°C	2-8°C
N041	<b>Nornidulin</b>	C <sub>19</sub> H <sub>15</sub> Cl <sub>3</sub> O <sub>5</sub>	33403-37-1	>99%	≤30°C	-20°C
N042	<b>Nosiheptide</b>	C <sub>51</sub> H <sub>45</sub> N <sub>13</sub> O <sub>12</sub> S <sub>6</sub>	56377-79-8	>95%	≤30°C	-20°C
N014	<b>Novobiocin sodium</b>	C <sub>31</sub> H <sub>35</sub> N <sub>2</sub> NaO <sub>11</sub>	1476-53-5	≥90.0%	≤30°C	2-8°C
N043	<b>Nybomycin</b>	C <sub>16</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub>	30408-30-1	>95%	≤30°C	-20°C
N044	<b>Nystatin A1, EvoPure®</b>	C <sub>47</sub> H <sub>75</sub> NO <sub>17</sub>	1400-61-9	>98%	≤30°C	-20°C
N010	<b>Nystatin, USP</b>	Mixture	1400-61-9	>5000 u/mg	≤30°C	2-8°C
O014	<b>Ochratoxin A, EvoPure®</b>	C <sub>20</sub> H <sub>18</sub> ClNO <sub>6</sub>	303-47-9	>95%	≤30°C	-20°C
O015	<b>Ochratoxin B, EvoPure®</b>	C <sub>20</sub> H <sub>19</sub> NO <sub>6</sub>	4825-86-9	>99%	≤30°C	-20°C
O016	<b>Ochratoxin C, EvoPure®</b>	C <sub>22</sub> H <sub>22</sub> ClNO <sub>6</sub>	4865-85-4	>95%	≤30°C	-20°C
O001	<b>Ofloxacin</b>	C <sub>18</sub> H <sub>20</sub> FN <sub>3</sub> O <sub>4</sub>	82419-36-1	≥98.0%	≤30°C	2-8°C
O017	<b>Oleandomycin</b>	C <sub>35</sub> H <sub>61</sub> NO <sub>12</sub>	3922-90-5	>95%	≤30°C	-20°C
O013	<b>Oligomycin A, EvoPure®</b>	C <sub>45</sub> H <sub>74</sub> O <sub>11</sub>	579-13-5	>95%	≤30°C	-20°C
O018	<b>Oligomycin B, EvoPure®</b>	C <sub>45</sub> H <sub>72</sub> O <sub>12</sub>	11050-94-5	>95%	≤30°C	-20°C
O019	<b>Oligomycin C, EvoPure®</b>	C <sub>45</sub> H <sub>74</sub> O <sub>10</sub>	11052-72-5	>95%	≤30°C	-20°C
O020	<b>Oligomycin D, EvoPure®</b>	C <sub>44</sub> H <sub>72</sub> O <sub>11</sub>	1404-59-7	>95%	≤30°C	-20°C
O021	<b>Oligomycin E, EvoPure®</b>	C <sub>45</sub> H <sub>72</sub> O <sub>13</sub>	110231-34-0	>95%	≤30°C	-20°C
M052	<b>O-methylsterigmatocystin</b>	C <sub>19</sub> H <sub>14</sub> O <sub>6</sub>	17878-69-2	>95%	≤30°C	-20°C
M054	<b>O-methylviridicatin</b>	C <sub>16</sub> H <sub>13</sub> NO <sub>2</sub>	6152-51-4	>99%	≤30°C	-20°C
O012	<b>OP-145</b>	C <sub>142</sub> H <sub>246</sub> N <sub>46</sub> O <sub>31</sub>	N/A	≥98.0%	≤30°C	-20°C
O022	<b>Ophiobolin A, EvoPure®</b>	C <sub>25</sub> H <sub>36</sub> O <sub>4</sub>	4611-05-6	>95%	≤30°C	-20°C
O023	<b>Ophiobolin B, EvoPure®</b>	C <sub>25</sub> H <sub>38</sub> O <sub>4</sub>	5601-74-1	>95%	≤30°C	-20°C
O024	<b>Ophiobolin C, EvoPure®</b>	C <sub>25</sub> H <sub>38</sub> O <sub>3</sub>	19022-51-6	>98%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
O025	<b>Orfamide A, EvoPure®</b>	$C_{64}H_{114}N_{10}O_{17}$	939960-34-6	>98%	≤30°C	-20°C
O026	<b>Orfamide B, EvoPure®</b>	$C_{63}H_{112}N_{10}O_{17}$	939960-35-7	>98%	≤30°C	-20°C
O027	<b>Ostreogrycin A</b>	$C_{28}H_{35}N_3O_7$	21411-53-0	>99%	≤30°C	-20°C
O006	<b>Oxacillin sodium, USP</b>	$C_{19}H_{218}N_3NaO_5S \cdot H_2O$	7240-38-2	>815 µg/mg	≤30°C	2-8°C
O002	<b>Oxolinic Acid</b>	$C_{13}H_{11}NO_5$	14698-29-4	≥98.0%	≤30°C	2-8°C
O029	<b>Oxychloroaphine</b>	$C_{13}H_9N_3O$	550-89-0	>98%	≤30°C	-20°C
O003	<b>Oxytetracycline dihydrate</b>	$C_{22}H_{24}N_2O_9 \cdot 2H_2O$	6153-64-6	≥90.0%	≤30°C	2-8°C
O004	<b>Oxytetracycline HCl</b>	$C_{22}H_{24}N_2O_9 \cdot HCl$	2058-46-0	≥90.0%	≤30°C	2-8°C
P045	<b>Paclitaxel</b>	$C_{47}H_{51}NO_{14}$	33069-62-4	97.0%-102.0%	≤30°C	2-8°C
P052	<b>Paclobutrazol</b>	$C_{15}H_{20}ClN_3O$	76738-62-0	>95.0%	≤30°C	2-8°C
P069	<b>Paraherquamide A, EvoPure®</b>	$C_{28}H_{35}N_3O_5$	77392-58-6	>95%	≤30°C	-20°C
P070	<b>Paraherquamide E, EvoPure®</b>	$C_{26}H_{35}N_3O_4$	125600-53-5	>99%	≤30°C	-20°C
P002	<b>Paromomycin Sulfate, USP</b>	$C_{23}H_{45}N_5O_{14} \cdot H_2SO_4$	1263-89-4	>675 µg/mg	≤30°C	2-8°C
P071	<b>Parvodicin</b>	$C_{83}H_{88}Cl_2N_8O_{29}$	187888-13-7	>95%	≤30°C	-20°C
P072	<b>Paxilline</b>	$C_{27}H_{33}NO_4$	57186-25-1	>99%	≤30°C	-20°C
P073	<b>PC-766B</b>	$C_{43}H_{68}O_{12}$	108375-77-5	>95%	≤30°C	-20°C
M034	<b>PCR Mycoplasma detection kit</b>	Mixture	Mixture	N/A	Dry ice	-20°C
P015	<b>Pefloxacin</b>	$C_{17}H_{20}FN_3O_3$	70458-92-3	≥95.0%	≤30°C	2-8°C
P004	<b>Pefloxacin mesylate dihydrate</b>	$C_{17}H_{20}FN_3O_3 \cdot CH_4O_3S$	149676-40-4	≥95.0%	≤30°C	2-8°C
P005	<b>Penicillin G potassium, EP</b>	$C_{16}H_{17}KN_2O_4S$	113-98-4	≥96.0%	≤30°C	2-8°C
P028	<b>Penicillin G potassium, USP</b>	$C_{16}H_{17}KN_2O_4S$	113-98-4	1440-1680 u/mg	≤30°C	2-8°C
P016	<b>Penicillin G sodium, EP</b>	$C_{16}H_{17}N_2NaO_4S$	69-57-8	96.0-102.0%	≤30°C	2-8°C
P006	<b>Penicillin G sodium, USP</b>	$C_{16}H_{17}N_2NaO_4S$	69-57-8	1500-1750 u/mg	≤30°C	2-8°C
P044	<b>Penicillin G, EvoPure</b>	$C_{16}H_{16}N_2O_4S$	61-33-6	≥95.0%	≤30°C	2-8°C
P030	<b>Penicillin-streptomycin solution</b>	Mixture	61-33-6; 57-92-1	Mixture	Dry ice	-20°C
P074	<b>Penigequinolone A</b>	$C_{27}H_{33}NO_6$	180045-91-4	>99%	≤30°C	-20°C
P075	<b>Penitrem A</b>	$C_{37}H_{44}ClNO_6$	12627-35-9	>99%	≤30°C	-20°C
P076	<b>Pentostatin</b>	$C_{11}H_{16}N_4O_4$	53910-25-1	>98%	≤30°C	-20°C
P077	<b>Pestalotin</b>	$C_{11}H_{18}O_4$	34565-32-7	>99%	≤30°C	-20°C
P078	<b>Phenelfamycin E</b>	$C_{65}H_{95}NO_{21}$	114451-31-9	>95%	≤30°C	-20°C
P079	<b>Phloroglucinol</b>	$C_6H_6O_3$	108-73-6	>95%	≤30°C	-20°C
P080	<b>Phomopsis A</b>	$C_{36}H_{45}ClN_6O_{12}$	64925-80-0	>98%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
P043	<b>Picloram</b>	$C_6H_3Cl_3N_2O_2$	1918-02-1	≥95.0%	≤30°C	2-8°C
P081	<b>Piericidin A</b>	$C_{25}H_{37}NO_4$	2738-64-9	>95%	≤30°C	-20°C
P082	<b>Pimaricin</b>	$C_{33}H_{47}NO_{13}$	7861-93-8	>95%	≤30°C	-20°C
P083	<b>Pimecrolimus</b>	$C_{43}H_{68}ClNO_{11}$	137071-32-0	>95%	≤30°C	-20°C
P084	<b>Pimprinine</b>	$C_{12}H_{10}N_2O$	13640-26-1	>95%	≤30°C	-20°C
P085	<b>Pipacycline</b>	$C_{29}H_{38}N_4O_9$	1110-80-1	>98%	≤30°C	-20°C
P009	<b>Pipemidic acid</b>	$C_{14}H_{17}N_5O_3$	51940-44-4	≥98.0%	≤30°C	2-8°C
P017	<b>Piperacillin</b>	$C_{23}H_{27}N_5O_7S$	61477-96-1	≥95.0%	≤30°C	2-8°C
P010	<b>Piperacillin sodium</b>	$C_{23}H_{26}N_5NaO_7S$	59703-84-3	≥95.0%	≤30°C	2-8°C
P087	<b>Piperafizine A</b>	$C_{19}H_{16}N_2O_2$	130603-59-7	>99%	≤30°C	-20°C
P086	<b>Pirlimycin</b>	$C_{17}H_{31}ClN_2O_5S$	79548-73-5	>99%	≤30°C	-20°C
P088	<b>Pirlimycin hydrochloride</b>	$C_{17}H_{32}Cl_2N_2O_5S$	78822-40-9	>99%	≤30°C	-20°C
P089	<b>Platencin</b>	$C_{24}H_{27}NO_6$	869898-86-2	>99%	≤30°C	-20°C
P090	<b>Platensimycin</b>	$C_{24}H_{27}NO_6$	835876-32-9	>95%	≤30°C	-20°C
P091	<b>Pleuromutilin</b>	$C_{22}H_{34}O_5$	125-65-5	>95%	≤30°C	-20°C
P092	<b>Pneumocandin B0</b>	$C_{50}H_{80}N_5O_{17}$	135575-42-7	>95%	≤30°C	-20°C
P007	<b>Polymyxin B sulfate</b>	$C_{55}H_{98}N_{16}O_{13} \cdot 2H_2SO_4$	1405-20-5	≥6000 u/mg	≤30°C	2-8°C
P037	<b>Polymyxin B1 sulfate, EvoPure®</b>	$C_{56}H_{98}N_{16}O_{13} \cdot H_2SO_4$	4135-11-09	≥98.0%	≤30°C	2-8°C
P038	<b>Polymyxin B1-1 sulfate, EvoPure®</b>	$C_{56}H_{98}N_{16}O_{13} \cdot H_2SO_4$	N/A	≥99.0%	≤30°C	2-8°C
P039	<b>Polymyxin B2 sulfate, EvoPure®</b>	$C_{56}H_{98}N_{16}O_{13} \cdot H_2SO_4$	N/A	≥98.0%	≤30°C	2-8°C
P040	<b>Polymyxin B3 sulfate, EvoPure®</b>	$C_{55}H_{98}N_{16}O_{13} \cdot H_2SO_4$	N/A	≥95.0%	≤30°C	2-8°C
P054	<b>Polymyxin B6 sulfate, EvoPure®</b>	$C_{56}H_{98}N_{16}O_{14} \cdot H_2SO_4$	N/A	90%	≤30°C	2-8°C
P055	<b>Polymyxin E1 sulfate, EvoPure®</b>	$C_{53}H_{100}N_{16}O_{13} \cdot H_2SO_4$	1066-17-7	90%	≤30°C	-20°C
P056	<b>Polymyxin E2 sulfate, EvoPure®</b>	$C_{52}H_{103}N_{16}O_{13} \cdot H_2SO_4$	30387-41-8	90%	≤30°C	-20°C
P093	<b>Pravastatin sodium</b>	$C_{23}H_{35}O_7Na$	81131-70-6	>98%	≤30°C	-20°C
P011	<b>Praziquantel</b>	$C_{19}H_{24}N_2O_2$	55268-74-1	98.5-101.0%	≤30°C	2-8°C
P094	<b>Prodigiosin</b>	$C_{20}H_{25}N_3O$	82-89-3	>95%	≤30°C	-20°C
P057	<b>Pseudo erythromycin A enol ether, EvoPure®</b>	$C_{37}H_{65}NO_{12}$	105882-69-7		≤30°C	-20°C
P095	<b>Pseudomonic acid</b>	$C_{26}H_{44}O_9$	12650-69-0	>95%	≤30°C	-20°C
P096	<b>Pseurotin A</b>	$C_{22}H_{25}NO_8$	58523-30-1	>99%	≤30°C	-20°C
P097	<b>Puromycin</b>	$C_{22}H_{29}N_7O_5$	53-79-2	>98%	≤30°C	-20°C
P041	<b>Puromycin aminonucleoside</b>	$C_{12}H_{18}N_6O_3$	58-60-6	≥99.0%	≤30°C	2-8°C



Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
P001	<b>Puromycin DiHCl</b>	$C_{22}H_{29}N_7O_5 \cdot 2HCl$	58-58-2	≥99.5%	≤30°C	2-8°C
P025	<b>Puromycin DiHCl, solution (10 mg/ml)</b>	$C_{22}H_{29}N_7O_5 \cdot 2HCl$	58-58-2	≥98.0%	Dry ice	-20°C
P098	<b>Pyoluteorin</b>	$C_{11}H_7Cl_2NO_3$	25683-07-2	>98%	≤30°C	-20°C
P020	<b>Pyrazinamide</b>	$C_5H_5N_3O$	98-96-4	≥98.0%	≤30°C	2-8°C
P099	<b>Pyrenophorol</b>	$C_{16}H_{24}O_6$	22248-41-5	>95%	≤30°C	-20°C
P100	<b>Pyridomycin</b>	$C_{27}H_{32}N_4O_8$	18791-21-4	>95%	≤30°C	-20°C
P065	<b>Pyrithione sodium</b>	$C_5H_4NNaOS$	3811-73-2	N/A	≤30°C	≤30°C
P066	<b>Pyrithione zinc</b>	$C_5H_4NNaOS$	3811-73-2	N/A	≤30°C	≤30°C
P101	<b>Pyrocoll</b>	$C_{10}N_6N_2O_2$	484-73-1	>95%	≤30°C	-20°C
P102	<b>Pyrrole-2-carboxylic acid</b>	$C_5H_5NO_2$	634-97-9	>95%	≤30°C	-20°C
Q003	<b>Quadrone</b>	$C_{15}H_{20}O_3$	66550-08-1	>98%	≤30°C	-20°C
Q002	<b>Quercetin dihydrate, EvoPure®</b>	$C_{15}H_{10}O_7 \cdot 2H_2O$	6151-25-3	≥95.0%	≤30°C	-20°C
Q004	<b>Questiomycin A</b>	$C_{12}H_8N_2O_2$	1916-59-2	>98%	≤30°C	-20°C
Q005	<b>Quinaldopeptin</b>	$C_{62}H_{78}N_{14}O_{14}$	130743-07-6	>95%	≤30°C	-20°C
Q006	<b>Quinolactacin A1</b>	$C_{16}H_{18}N_2O_2$	815576-68-2	>95%	≤30°C	-20°C
Q007	<b>Quinomycin A</b>	$C_{51}H_{64}N_{12}O_{12}S_2$	512-64-1	>99%	≤30°C	-20°C
Q008	<b>Quinupristin mesylate</b>	$C_{54}H_{71}N_9O_{13}S_2$	120138-50-3	>98%	≤30°C	-20°C
Q009	<b>Quinupristin-Dalfopristin mesylate</b>	Mixture	126602-89-9	>98%	≤30°C	-20°C
R020	<b>Radicol</b>	$C_{18}H_{17}ClO_6$	12772-57-5	>99%	≤30°C	-20°C
R024	<b>Ramoplanin</b>	$C_{119}H_{154}ClN_{21}O_{40}$	76168-82-6	>95%	≤30°C	-20°C
R001	<b>Rapamycin</b>	$C_{51}H_{79}NO_{13}$	53123-88-9	≥90.0%	≤30°C	2-8°C
R021	<b>Rebeccamycin</b>	$C_{27}H_{21}Cl_2N_3O_7$	93908-02-2	>99%	≤30°C	-20°C
R025	<b>Resistoflavine</b>	$C_{22}H_{16}O_7$	29706-96-5	>98%	≤30°C	-20°C
R026	<b>Resistomycin</b>	$C_{22}H_{16}O_6$	20004-62-0	>95%	≤30°C	-20°C
R027	<b>Retapamulin</b>	$C_{30}H_{47}NO_4S$	224452-66-8	>99%	≤30°C	-20°C
R028	<b>Reticulol</b>	$C_{11}H_{10}O_5$	26246-41-3	>95%	≤30°C	-20°C
R022	<b>Reveromycin A, EvoPure®</b>	$C_{36}H_{52}O_{11}$	134615-37-5	>99%	≤30°C	-20°C
R029	<b>Reveromycin B, EvoPure®</b>	$C_{36}H_{52}O_{11}$	144860-68-4	>98%	≤30°C	-20°C
R030	<b>Reveromycin C, EvoPure®</b>	$C_{37}H_{54}O_{11}$	144860-69-5	>95%	≤30°C	-20°C
R031	<b>Reveromycin D, EvoPure®</b>	$C_{37}H_{54}O_{11}$	144860-70-8	>95%	≤30°C	-20°C
R018	<b>Ribavirin</b>	$C_8H_{12}N_4O_5$	36791-04-5	N/A	≤30°C	2-8°C
R002	<b>Ribostamycin sulfate</b>	$C_{17}H_{34}N_4O_{10} \cdot H_2SO_4$	53797-35-6	≥90.0%	≤30°C	2-8°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
R032	<b>Ridaforolimus</b>	$C_{53}H_{84}NO_{14}P$	572924-54-0	>95%	≤30°C	-20°C
R003	<b>Rifampicin</b>	$C_{43}H_{58}N_4O_{12}$	13292-46-1	≥95.0%	≤30°C	2-8°C
R019	<b>Ristocetin A sulfate</b>	$C_{95}H_{112}N_8O_{46}S$	11140-99-1	>95%	≤30°C	-20°C
R033	<b>RK-682</b>	$C_{42}H_{76}CaO_{10}$	332131-32-5	>95%	≤30°C	-20°C
R023	<b>Rolitetracycline</b>	$C_{27}H_{33}N_3O_8$	751-97-3	>98%	≤30°C	-20°C
R034	<b>Roquefortine C, EvoPure®</b>	$C_{22}H_{23}N_5O_2$	58735-64-1	>99%	≤30°C	-20°C
R035	<b>Roquefortine E, EvoPure®</b>	$C_{27}H_{31}N_5O_2$	871982-52-4	>95%	≤30°C	-20°C
R039	<b>Roseoflavin</b>	$C_{18}H_{23}N_5O_6$	51093-55-1	>98%	≤30°C	-20°C
R005	<b>Roxithromycin</b>	$C_{41}H_{76}N_2O_{15}$	80214-83-1	≥98.0%	≤30°C	2-8°C
R013	<b>Roxithromycin impurity B, EvoPure®</b>	$C_{33}H_{62}N_2O_{12}$	n/a	N/A	≤30°C	-20°C
R016	<b>Roxithromycin impurity F, EvoPure®</b>	$C_{40}H_{74}N_2O_{15}$	n/a	N/A	≤30°C	-20°C
R036	<b>Rugulosin (-) form</b>	$C_{30}H_{22}O_{10}$	21884-45-7	>98%	≤30°C	-20°C
R037	<b>Rugulosin (+) form</b>	$C_{30}H_{22}O_{10}$	23537-16-8	>98%	≤30°C	-20°C
R038	<b>Rugulotrosin A</b>	$C_{32}H_{30}O_{14}$	685135-81-3	>98%	≤30°C	-20°C
S073	<b>Saccharocarcin A, EvoPure®</b>	$C_{67}H_{101}NO_{20}$	158475-32-2	>95%	≤30°C	-20°C
S074	<b>Saccharocarcin B, EvoPure®</b>	$C_{65}H_{103}NO_{20}$	158475-33-3	>99%	≤30°C	-20°C
S001	<b>Salinomycin</b>	$C_{42}H_{70}O_{11}$	53003-10-4	≥90.0%	≤30°C	2-8°C
S002	<b>Salinomycin sodium</b>	$C_{42}H_{69}NaO_{11}$	55721-31-8	≥90.0%	≤30°C	2-8°C
S075	<b>Sancycline</b>	$C_{21}H_{22}N_2O_7$	808-26-4	>98%	≤30°C	-20°C
S076	<b>Sancycline hydrochloride</b>	$C_{21}H_{23}ClN_2O_7$	6625-20-3	>98%	≤30°C	-20°C
S077	<b>Sandramycin</b>	$C_{60}H_{76}N_{12}O_{16}$	100940-65-6	>95%	≤30°C	-20°C
S003	<b>Sarafloxacin HCl trihydrate</b>	$C_{20}H_{17}F_2N_3O_3 \cdot HCl$	91296-87-6	≥98.0%	≤30°C	2-8°C
S078	<b>Sch 38519</b>	$C_{24}H_{25}NO_8$	114970-20-6	>95%	≤30°C	-20°C
S079	<b>Sch 725674</b>	$C_{18}H_{32}O_5$	877061-66-0	>95%	≤30°C	-20°C
S062	<b>SDS Dust-free, Ultrapure</b>	$C_{12}H_{25}NaSO_4$	151-21-3	≥99.0%	≤30°C	≤30°C
S057	<b>SDS Ultrapure</b>	$C_{12}H_{25}NaSO_4$	151-21-3	>99.5%	≤30°C	≤30°C
S068	<b>Selamectin</b>	$C_{43}H_{63}NO_{11}$	220119-17-5	>99%	≤30°C	-20°C
S080	<b>Setomimycin</b>	$C_{34}H_{28}O_9$	69431-87-4	>95%	≤30°C	-20°C
S081	<b>Setosusin</b>	$C_{29}H_{38}O_8$	182926-45-0	>99%	≤30°C	-20°C
S082	<b>Siccanin</b>	$C_{22}H_{30}O_3$	22733-60-4	>98%	≤30°C	-20°C
S039	<b>Simvastatin</b>	$C_{25}H_{38}O_5$	79902-63-9	>98%	≤30°C	-20°C
S069	<b>Sinefungin</b>	$C_{15}H_{23}N_7O_5$	58944-73-3	>95%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
S083	<b>Siomycin A</b>	$C_{71}H_{81}N_{19}O_{18}S_5$	12656-09-6	>95%	≤30°C	-20°C
S004	<b>Sisomicin sulfate</b>	$2(C_{19}H_{37}N_5O_7) \cdot 5H_2SO_4$	53179-09-2	≥90.0%	≤30°C	2-8°C
S005	<b>Sparfloxacin</b>	$C_{19}H_{22}F_2N_4O_3$	110871-86-8	98.5-102.0%	≤30°C	2-8°C
S006	<b>Spectinomycin DiHCl</b>	$C_{14}H_{24}N_2O_7 \cdot 2HCl$	21736-83-4	603 µg/mg	≤30°C	2-8°C
S016	<b>Spectinomycin sulfate</b>	$C_{14}H_{24}N_2O_7 \cdot H_2SO_4$	64058-48-6	93.0-102.0%	≤30°C	2-8°C
S085	<b>Spinosyn A 17-pseudoaglycone, EvoPure®</b>	$C_{41}H_{65}NO_{10}$	131929-60-7	>99%	≤30°C	-20°C
S086	<b>Spinosyn A aglycone, EvoPure®</b>	$C_{33}H_{50}O_9$	131929-68-5	>95%	≤30°C	-20°C
S084	<b>Spinosyn A, EvoPure®</b>	$C_{24}H_{34}O_5$	149560-97-4	>95%	≤30°C	-20°C
S088	<b>Spinosyn D 17-pseudoaglycone, EvoPure®</b>	$C_{42}H_{67}NO_{10}$	131929-63-0	>99%	≤30°C	-20°C
S089	<b>Spinosyn D aglycone, EvoPure®</b>	$C_{34}H_{52}O_9$	131929-55-0	>95%	≤30°C	-20°C
S087	<b>Spinosyn D, EvoPure®</b>	$C_{25}H_{36}O_5$	149439-79-2	>95%	≤30°C	-20°C
S007	<b>Spiramycin</b>	Mixture	8025-81-8	≥90.0%	≤30°C	2-8°C
S094	<b>Spiramycin I</b>	$C_{43}H_{74}N_2O_{14}$	8025-81-8	>99%	≤30°C	-20°C
S095	<b>Sporidesmolide</b>	$C_{34}H_{60}N_4O_8$	11113-90-9	>95%	≤30°C	-20°C
S096	<b>Sporidesmolide I, EvoPure®</b>	$C_{33}H_{58}N_4O_8$	2900-38-1	>95%	≤30°C	-20°C
S097	<b>Sporidesmolide II, EvoPure®</b>	$C_{34}H_{60}N_4O_8$	3200-75-7	>95%	≤30°C	-20°C
S098	<b>Sporidesmolide III, EvoPure®</b>	$C_{32}H_{56}N_4O_8$	1803-67-4	>95%	≤30°C	-20°C
S099	<b>Sporidesmolide V, EvoPure®</b>	$C_{35}H_{62}N_4O_8$	127072-57-5	>95%	≤30°C	-20°C
S100	<b>Stachybotrylactam</b>	$C_{23}H_{31}NO_4$	163391-76-2	>95%	≤30°C	-20°C
S101	<b>Stauprimide</b>	$C_{35}H_{28}N_4O_5$	154589-96-5	>95%	≤30°C	-20°C
S070	<b>Staurosporine</b>	$C_{28}H_{26}N_4O_3$	62996-74-1	>99%	≤30°C	-20°C
S102	<b>Steffimycin B</b>	$C_{29}H_{32}O_{13}$	54526-94-2	>99%	≤30°C	-20°C
S103	<b>Sterigmatocystin</b>	$C_{18}H_{12}O_6$	10048-13-2	>95%	≤30°C	-20°C
S067	<b>Streptidine, EvoPure®</b>	$C_8H_{16}N_6O_4$	85-17-6	≥99.0%	≤30°C	-20°C
S040	<b>Streptomycin sulfate, EP</b>	$C_{21}H_{39}N_7O_{12} \cdot 1\frac{1}{2}H_2SO_4$	3810-74-0	≥720 IU/mg	≤30°C	2-8°C
S008	<b>Streptomycin sulfate, USP</b>	$C_{21}H_{39}N_7O_{12} \cdot 1\frac{1}{2}H_2SO_4$	3810-74-0	≥90.0%	≤30°C	2-8°C
S071	<b>Streptonigrin</b>	$C_{25}H_{22}N_4O_8$	3930-19-6	>95%	≤30°C	-20°C
S009	<b>Streptozocin</b>	$C_8H_{15}N_3O_7$	18883-66-4	≥90.0%	≤30°C	2-8°C
S010	<b>Sulbactam</b>	$C_9H_{11}NO_5S$	68373-14-8	≥95.0%	≤30°C	2-8°C
S011	<b>Sulbactam sodium</b>	$C_9H_{10}NNaO_5S$	69388-84-7	≥95.0%	≤30°C	2-8°C
S012	<b>Sulfadiazine</b>	$C_{10}H_{10}N_4O_2S$	68-35-9	≥98.0%	≤30°C	2-8°C
S061	<b>Sulfadiazine sodium</b>	$C_{10}H_9N_4NaO_2S$	547-32-0	99.0%	≤30°C	2-8°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
S035	<b>Sulfadoxine</b>	C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> O <sub>4</sub> S	2447-57-6	99.0-101.0%	≤30°C	2-8°C
S033	<b>Sulfamerazine</b>	C <sub>11</sub> H <sub>12</sub> N <sub>4</sub> O <sub>2</sub> S	127-79-7	99.0-101.0%	≤30°C	2-8°C
S059	<b>Sulfamerazine sodium</b>	C <sub>11</sub> H <sub>12</sub> N <sub>4</sub> O <sub>2</sub> SNa	127-58-2	99.00%	≤30°C	2-8°C
S026	<b>Sulfamethazine</b>	C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub> S	57-68-1	≥98.0%	≤30°C	2-8°C
S066	<b>Sulfamethazine sodium</b>	C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub> S	1981-58-4	N/A	≤30°C	-20°C
S017	<b>Sulfamethoxazole</b>	C <sub>10</sub> H <sub>11</sub> N <sub>3</sub> O <sub>3</sub> S	723-46-6	≥98.0%	≤30°C	2-8°C
S063	<b>Sulfamethoxazole impurity A, EvoPure®</b>	C <sub>12</sub> H <sub>13</sub> N <sub>3</sub> O <sub>4</sub> S	21312-10-7	N/A	≤30°C	-20°C
S064	<b>Sulfamethoxazole impurity B, EvoPure®</b>	C <sub>16</sub> H <sub>16</sub> N <sub>4</sub> O <sub>5</sub> S <sub>2</sub>	135529-16-7	N/A	≤30°C	-20°C
S065	<b>Sulfapyridine, USP</b>	C <sub>11</sub> H <sub>11</sub> N <sub>3</sub> O <sub>2</sub> S	144-83-2	N/A	≤30°C	2-8°C
S014	<b>Sulfathiazole sodium</b>	C <sub>9</sub> H <sub>8</sub> N <sub>3</sub> NaO <sub>2</sub> S <sub>2</sub>	144-74-1	≥98.0%	≤30°C	2-8°C
S072	<b>Sulochrin</b>	C <sub>17</sub> H <sub>16</sub> O <sub>7</sub>	519-57-3	>99%	≤30°C	-20°C
S104	<b>Sultricin</b>	C <sub>23</sub> H <sub>34</sub> NaO <sub>9</sub> P	131774-59-9	>98%	≤30°C	-20°C
T062	<b>Tamoxifen</b>	C <sub>26</sub> H <sub>29</sub> NO	10540-29-1	≥99.0%	≤30°C	-20°C
T066	<b>TAN 1364B</b>	C <sub>21</sub> H <sub>36</sub> O <sub>5</sub>	154639-24-4	>95%	≤30°C	-20°C
T067	<b>TAN 420C</b>	C <sub>29</sub> H <sub>42</sub> N <sub>2</sub> O <sub>9</sub>	91700-91-3	>95%	≤30°C	-20°C
T068	<b>TAN 420E</b>	C <sub>30</sub> H <sub>44</sub> N <sub>2</sub> O <sub>9</sub>	91700-93-5	>95%	≤30°C	-20°C
T001	<b>Tazobactam</b>	C <sub>10</sub> H <sub>12</sub> N <sub>4</sub> O <sub>5</sub> S	89786-04-9	≥98.0%	≤30°C	2-8°C
T031	<b>Tazobactam sodium</b>	C <sub>10</sub> H <sub>11</sub> N <sub>4</sub> NaO <sub>5</sub> S	89785-84-2	≥98.0%	≤30°C	2-8°C
T002	<b>Teicoplanin</b>	C <sub>88</sub> H <sub>97</sub> Cl <sub>2</sub> N <sub>9</sub> O <sub>33</sub>	61036-62-2	≥900 µg/mg	≤30°C	2-8°C
T069	<b>Teicoplanin A2-1, EvoPure®</b>	C <sub>85</sub> H <sub>95</sub> Cl <sub>2</sub> N <sub>9</sub> O <sub>33</sub>	91032-34-7	>98%	≤30°C	-20°C
T070	<b>Teicoplanin A2-2, EvoPure®</b>	C <sub>88</sub> H <sub>97</sub> Cl <sub>2</sub> N <sub>9</sub> O <sub>33</sub>	91032-26-7	>98%	≤30°C	-20°C
T071	<b>Teicoplanin A2-3, EvoPure®</b>	C <sub>88</sub> H <sub>97</sub> Cl <sub>2</sub> N <sub>9</sub> O <sub>33</sub>	91032-36-9	>98%	≤30°C	-20°C
T072	<b>Teicoplanin A2-4, EvoPure®</b>	C <sub>89</sub> H <sub>99</sub> Cl <sub>2</sub> N <sub>9</sub> O <sub>33</sub>	91032-37-0	>98%	≤30°C	-20°C
T073	<b>Teicoplanin A2-5, EvoPure®</b>	C <sub>89</sub> H <sub>99</sub> Cl <sub>2</sub> N <sub>9</sub> O <sub>33</sub>	91032-38-1	>98%	≤30°C	-20°C
T074	<b>Teicoplanin A3-1, EvoPure®</b>	C <sub>72</sub> H <sub>68</sub> Cl <sub>2</sub> N <sub>8</sub> O <sub>26</sub>	93616-27-4	>98%	≤30°C	-20°C
T063	<b>Telavancin</b>	C <sub>80</sub> H <sub>106</sub> Cl <sub>2</sub> N <sub>11</sub> O <sub>27</sub> P	372151-71-8	>98%	≤30°C	-20°C
T075	<b>Teleocidin A1</b>	C <sub>27</sub> H <sub>39</sub> N <sub>3</sub> O <sub>2</sub>	70497-14-2	>98%	≤30°C	-20°C
T015	<b>Telithromycin</b>	C <sub>43</sub> H <sub>65</sub> N <sub>5</sub> O <sub>10</sub>	191114-48-4	≥95.0%	≤30°C	2-8°C
T076	<b>Telomycin</b>	C <sub>59</sub> H <sub>77</sub> N <sub>13</sub> O <sub>16</sub>	19246-24-3	>95%	≤30°C	-20°C
T077	<b>Temsirolimus</b>	C <sub>56</sub> H <sub>87</sub> NO <sub>16</sub>	162635-04-3	>95%	≤30°C	-20°C
T078	<b>Tenellin</b>	C <sub>21</sub> H <sub>23</sub> NO <sub>5</sub>	53823-15-7	>95%	≤30°C	-20°C
T079	<b>Tenuazonic acid</b>	C <sub>10</sub> H <sub>15</sub> NO <sub>3</sub>	610-88-8	>99%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
T080	<b>Ternatin</b>	$C_{37}H_{67}N_7O_8$	148619-41-4	>98%	≤30°C	-20°C
T081	<b>Terphenyllin</b>	$C_{20}H_{18}O_5$	52452-60-5	>99%	≤30°C	-20°C
T082	<b>Terrecyclic Acid</b>	$C_{15}H_{20}O_3$	83058-94-0	>95%	≤30°C	-20°C
T083	<b>Terrein</b>	$C_9H_{10}O_3$	582-46-7	>95%	≤30°C	-20°C
T004	<b>Tetracycline HCl</b>	$C_{22}H_{24}N_2O_8 \cdot HCl$	64-75-5	≥90.0%	≤30°C	2-8°C
T016	<b>Tetracycline, EP</b>	$C_{22}H_{24}N_2O_8$	60-54-8	88.0-102.0%	≤30°C	2-8°C
T051	<b>Tetracycline, USP</b>	$C_{22}H_{24}N_2O_8$	60-54-8	N/A	≤30°C	2-8°C
T084	<b>Tetrahydrolipstatin</b>	$C_{29}H_{53}NO_5$	96829-58-2	>98%	≤30°C	-20°C
T061	<b>Tetramisole HCl</b>	$C_{11}H_{12}N_2S \cdot HCl$	16595-80-5	98.0-101.0%	≤30°C	≤30°C
T085	<b>Tetranactin</b>	$C_{44}H_{72}O_{12}$	33956-61-5	>95%	≤30°C	-20°C
T086	<b>Tetromycin A, EvoPure®</b>	$C_{36}H_{48}O_6$	180027-83-2	>99%	≤30°C	-20°C
T087	<b>Tetromycin B, EvoPure®</b>	$C_{34}H_{46}O_5$	180027-84-3	>99%	≤30°C	-20°C
T005	<b>Thiamphenicol</b>	$C_{12}H_{15}Cl_2NO_5S$	115318-45-3	≥98.0%	≤30°C	2-8°C
T088	<b>Thielavin A</b>	$C_{29}H_{30}O_{10}$	71950-66-8	>95%	≤30°C	-20°C
T089	<b>Thielavin B</b>	$C_{31}H_{34}O_{10}$	71950-67-9	>95%	≤30°C	-20°C
T006	<b>Thimerosal</b>	$C_9H_9HgNaO_2S$	54-64-8	≥95.0%	≤30°C	2-8°C
T090	<b>Thiocillin I</b>	$C_{49}H_{49}N_{13}O_{10}S_6$	59979-01-0	>95%	≤30°C	-20°C
T018	<b>Thiolutin</b>	$C_8H_8N_2O_2S_2$	87-11-6	>98%	≤30°C	-20°C
T007	<b>Thiostrepton</b>	$C_{72}H_{85}N_{19}O_{18}S_5$	1393-48-2	≥98.0%	≤30°C	2-8°C
T042	<b>Thiostrepton, Ultrapure</b>	$C_{72}H_{85}N_{19}O_{18}S_5$	1393-48-2	≥98.0%	≤30°C	2-8°C
T091	<b>Tiamulin</b>	$C_{28}H_{47}NO_4S$	55297-95-5	>98%	≤30°C	-20°C
T029	<b>Tiamulin fumarate</b>	$C_{32}H_{51}NO_8S$	55297-96-6	≥95.0%	≤30°C	2-8°C
T020	<b>Ticarcillin disodium w/clavulanate potassium (15:1)</b>	Mixture	Mixture	≥99.0%	≤30°C	2-8°C
T034	<b>Ticarcillin disodium, USP</b>	$C_{15}H_{14}N_2Na_2O_6S_2$	4697-14-7	≥99.0%	≤30°C	2-8°C
T022	<b>Tigecycline</b>	$C_{29}H_{39}N_5O_8$	220620-09-7	≥99.0%	≤30°C	2-8°C
T092	<b>Tildipirosin</b>	$C_{41}H_{71}N_3O_8$	328898-40-4	>95%	≤30°C	-20°C
T008	<b>Tilmicosin</b>	$C_{46}H_{80}N_2O_{13}$	108050-54-0	≥98.0%	≤30°C	2-8°C
T093	<b>Tilmicosin phosphate</b>	$C_{46}H_{83}N_2O_{17}P$	137330-13-3	>98%	≤30°C	-20°C
T009	<b>Tobramycin</b>	$C_{18}H_{37}N_5O_9$	32986-56-4	≥700 µg/mg	≤30°C	2-8°C
T010	<b>Tobramycin sulfate</b>	$C_{18}H_{37}N_5O_9 \cdot H_2SO_4$	79645-27-5	634-739 µg/mg	≤30°C	2-8°C
T094	<b>Toxoflavin</b>	$C_7H_7N_5O_2$	84-82-2	>98%	≤30°C	-20°C
T095	<b>Toyocamycin</b>	$C_{12}H_{13}N_5O_4$	606-58-6	>95%	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
T096	<b>TPU-0037A</b>	$C_{46}H_{72}N_4O_{10}$	485815-59-6	>95%	≤30°C	-20°C
T097	<b>TPU-0037C</b>	$C_{46}H_{72}N_4O_9$	485815-61-0	>95%	≤30°C	-20°C
T100	<b>Triacetylphloroglucinol</b>	$C_{12}H_{12}O_6$	2161-87-7	>98%	≤30°C	-20°C
T098	<b>Trichostatin A, EvoPure®</b>	$C_{17}H_{22}N_2O_3$	58880-19-6	>99%	≤30°C	-20°C
T099	<b>Trichostatin C, EvoPure®</b>	$C_{23}H_{32}N_2O_8$	68676-88-0	>95%	≤30°C	-20°C
T011	<b>Trimethoprim</b>	$C_{14}H_{18}N_4O_3$	738-70-5	≥98.0%	≤30°C	2-8°C
T012	<b>Trimethoprim lactate</b>	$C_{14}H_{18}N_4O_3 \cdot C_3H_6O_3$	23256-42-0	≥98.0%	≤30°C	2-8°C
T101	<b>Trinactin</b>	$C_{43}H_{70}O_{12}$	7561-71-9	>95%	≤30°C	-20°C
T039	<b>Tropolone</b>	$C_7H_6O_2$	533-75-5	≥99.0%	≤30°C	2-8°C
T102	<b>TS 155-2</b>	$C_{39}H_{60}O_{11}$	303009-07-6	>95%	≤30°C	-20°C
T064	<b>Tubercidin</b>	$C_{11}H_{14}N_4O_4$	69-33-0	>98%	≤30°C	-20°C
T103	<b>Tubermycin B</b>	$C_{13}H_8N_2O_2$	2538-68-3	>98%	≤30°C	-20°C
T065	<b>Tulathromycin</b>	$C_{41}H_{79}N_3O_{12}$	217500-96-4	>98%	≤30°C	-20°C
T013	<b>Tylosin</b>	$C_{46}H_{77}NO_{17}$	1401-69-0	≥900 IU/mg	≤30°C	2-8°C
T058	<b>Tylosin A, EvoPure®</b>	$C_{46}H_{77}NO_{17}$	8026-48-0	>99.0%	≤30°C	-20°C
T057	<b>Tylosin B, EvoPure®</b>	$C_{39}H_{65}NO_{14}$	11032-98-7	≥95.0%	≤30°C	-20°C
T059	<b>Tylosin C, EvoPure®</b>	$C_{45}H_{75}NO_{17}$	11049-15-3	>85.0%	≤30°C	-20°C
T014	<b>Tylosin tartrate</b>	$2C_{47}H_{77}NO_{17} \cdot C_4H_6O_6$	74610-55-2	≥800 IU/mg	≤30°C	2-8°C
T105	<b>Tyrocidine</b>	$C_{66}H_{87}N_{13}O_{13}$	8011-61-8	>95%	≤30°C	-20°C
T043	<b>Tyrothricin</b>	$C_{65}H_{85}N_{11}O_{13}$	1404-88-2	≥900 ug/mL	≤30°C	-20°C
U005	<b>UCN-01</b>	$C_{28}H_{26}N_4O_4$	112953-11-4	>99%	≤30°C	-20°C
U006	<b>UCN-02</b>	$C_{28}H_{26}N_4O_4$	121569-61-7	>95%	≤30°C	-20°C
U007	<b>UK-1</b>	$C_{22}H_{14}N_2O_5$	151271-53-3	>95%	≤30°C	-20°C
U008	<b>Umirolimus</b>	$C_{55}H_{87}NO_{14}$	851536-75-9	>95%	≤30°C	-20°C
U009	<b>Usnic acid</b>	$C_{18}H_{16}O_7$	125-46-2	>98%	≤30°C	-20°C
V012	<b>Validamycin A</b>	$C_{20}H_{35}NO_{13}$	3728-47-8	≥60.0%	≤30°C	-20°C
V011	<b>Validamycin A, EvoPure®</b>	$C_{20}H_{35}NO_{13}$	37248-47-8	>99.0%	≤30°C	-20°C
V015	<b>Valinomycin</b>	$C_{54}H_{90}N_6O_{18}$	2001-95-8	>95%	≤30°C	-20°C
V016	<b>Valnemulin</b>	$C_{31}H_{52}N_2O_5S$	101312-92-9	>99%	≤30°C	-20°C
V006	<b>Valnemulin HCl</b>	$C_{31}H_{52}N_2O_5S \cdot HCl$	133868-46-9	96.0% - 102.0%	≤30°C	2-8°C
V010	<b>Vancomycin</b>	$C_{66}H_{75}Cl_2N_9O_{24}$	1404-90-6	≥950 µg/mg	≤30°C	2-8°C
V008	<b>Vancomycin B HCl, EvoPure®</b>	$C_{66}H_{75}Cl_2N_9O_{24} \cdot HCl$	1404-93-9	N/A	≤30°C	-20°C

Product No.	Name	Formula	CAS No.	Purity or Assay	Shipping Temp	Storage Temp
V007	<b>Vancomycin HCl, EvoPure®</b>	$C_{66}H_{75}Cl_2N_9O_{24} \cdot HCl$	1404-93-9	≥99.0%	≤30°C	2-8°C
V001	<b>Vancomycin HCl, USP</b>	$C_{66}H_{75}Cl_2N_9O_{24} \cdot HCl$	1404-93-9	≥99.0%	≤30°C	2-8°C
V017	<b>Venturicidin A, EvoPure®</b>	$C_{41}H_{67}NO_{11}$	33538-71-5	>95%	≤30°C	-20°C
V018	<b>Venturicidin B, EvoPure®</b>	$C_{40}H_{66}O_{10}$	33538-72-6	>95%	≤30°C	-20°C
V019	<b>Verruculogen</b>	$C_{27}H_{33}N_3O_7$	12771-72-1	>95%	≤30°C	-20°C
V020	<b>Violacein</b>	$C_{20}H_{13}N_3O_3$	548-54-9	>99%	≤30°C	-20°C
V022	<b>Virginiamycin</b>	$C_{28}H_{35}N_3O_7$	11006-76-1	>99%	≤30°C	-20°C
V021	<b>Virginiamycin B, EvoPure®</b>	$C_{45}H_{54}N_8O_{10}$	3131-03-1	>99%	≤30°C	-20°C
V014	<b>Virginiamycin S1, EvoPure®</b>	$C_{43}H_{49}N_7O_{10}$	23152-29-6	>99%	≤30°C	-20°C
V023	<b>Viridicatin</b>	$C_{15}H_{11}NO_2$	129-24-8	>99%	≤30°C	-20°C
V024	<b>Viridicatumtoxin</b>	$C_{30}H_{31}NO_{10}$	39277-41-3	>98%	≤30°C	-20°C
W001	<b>Wortmannin</b>	$C_{23}H_{24}O_8$	19545-26-7	>98%	≤30°C	-20°C
Z006	<b>Zaragozic acid A</b>	$C_{35}H_{46}O_{14}$	142561-96-4	>98%	≤30°C	-20°C
Z012	<b>Zearalanone</b>	$C_{18}H_{24}O_5$	5975-78-0	>99%	≤30°C	-20°C
Z009	<b>Zearalenone</b>	$C_{18}H_{22}O_5$	17924-92-4	>99%	≤30°C	-20°C
Z013	<b>Zotarolimus</b>	$C_{92}H_{79}N_5O_{12}$	221877-54-9	>95%	≤30°C	-20°C

A dynamic splash of clear blue water moving from left to right across the middle of the page. The water is captured in mid-air, with many small droplets and bubbles trailing behind the main splash. The background is a light blue gradient with a faint, repeating pattern of hexagonal shapes, some of which are slightly darker than others, creating a textured, molecular-like appearance.

### **TOKU-E USA**

715 West Orchard Drive, Suite 3, Bellingham, WA 98225, USA

Toll Free: (888) 718-6583

info@toku-e.com

### **TOKU-E EU N.V.**

Technologiepark 4, B-9052 Zwijnaarde, Belgium

Tel: +32 (0)9 261 69 71

info.eu@toku-e.com

### **TOKU-E SINGAPORE PTE LTD**

1090 Lower Delta Road #07-12/13 Singapore 169201

Tel: +65 6816-2640

info.sg@toku-e.com

**www.TOKU-E.com**

***DISTRIBUTED BY:***